



AIR CONDITIONERS

PERFECT CLIMATE FOR RVs, BOATS, TRUCKS AND SPECIAL VEHICLES



RV AIR CONDITIONERS

Rooftop and under-bench air conditioners from Dometic not only keep cool, they also reduce humidity. The range provides models for vehicles of all sizes. It also includes roof air conditioners integrating a window.


PAGE 8 – 15



MARINE AIR CONDITIONERS

For fast and easy retrofitting on pleasure boats: our Marine Climate Systems integrate cooling, dehumidification and heating in one compact unit. There's also reliable climate solution for supply vessels, patrol boats and houseboats.

PAGE 16 – 19



TRUCK PARKING COOLERS

Extra strong cooling performance or extra long running time with surprisingly low energy consumption: CoolAir RTX roof air conditioners let drivers stay cool for longer. They fit almost every truck cabin. Where they don't, we recommend our well proven CoolAir split system.

PAGE 20 – 23



AIR CONDITIONERS FOR HEAVY-DUTY APPLICATION

Pleasantly quiet, compact in size and fitted with battery-saving inverter technology: heavy-duty roof air conditioners for a perfect climate in the cabins of agricultural machinery, cranes, fork-lift trucks, forestry and terminal vehicles.

PAGE 24 – 25



INSTALLATION ON THE ROOF OR IN A STORAGE COMPARTMENT

Recreational vehicles offer two places where the installation of an air conditioner makes sense from a technical and practical point of view: on the roof or in the storage compartment. The Dometic range provides well-engineered solutions for all installation conditions.

Roof air conditioners use the physical principle that cold air sinks. The cold air streams can be directed into the vehicle's living area in an energy-saving manner and without performance loss.

Roof air conditioners typically replace the roof window. For those who

don't want to sacrifice the roof light, we recommend our FreshLight model, which integrates a window.

Under-bench air conditioners are fitted in the storage compartment – ideal for applications where installation on the roof is out of the question. The air is distributed through air outlets, which can be placed in the room as required to get a tailor-made climate control solution.



OVERVIEW* OF AIR CONDITIONERS BY VEHICLE TYPE AND LENGTHS



AIR CONDITIONER	Roof air conditioners FreshJet				Roof air conditioner with window FreshLight	Under-bench air conditioner FreshWell
	FJ 1700	FJ 2000	FJ 2200	FJ 3000	FL 2200	FW 3000
CARAVANS						
6 m	•	–	–	–	–	–
7 m	–	•	•	•	•	•
8 m	–	–	–	•	–	•
from 8 m	–	–	–	•	–	–
MOTORHOMES						
6 m	•	–	–	–	–	–
7 m	–	•	•	•	•	•
8 m	–	–	–	•	–	•
from 8 m	–	–	–	•	–	–
PANEL VAN						
6 m	•	–	–	–	–	–
6.50 m	–	•	•	–	–	–

*The overview features typical recommendations ideal for vehicles. The classes of air conditioners may vary according to the vehicle type and insulation.





DOMETIC FRESHJET 1700

Roof air conditioner with air distribution box

	Best for vehicle length	max. 6 m
	Cooling capacity	1700 W / 5800 Btu/h
	Heating capacity	800 W
	Consumption Cooling/heating mode	620 / 800 W
	Input voltage	230 V AC / 50 Hz
	Current consumption Cooling/heating mode	2.7 / 3.5 W
	Required circuit protection Cooling Heating	4 A 4 A
	Refrigerant Refrigerant quantity CO₂ equivalent Global warming potential (GWP)	R407c 0.545 kg 0.96683 t 1774
	Dimensions (W x H x D) External Internal	562 x 225 x 787 mm 470 x 45 x 555 mm
	Roof opening (W x D)	400 x 400 mm
	Roof thickness	25 – 60 mm
	Weight	29 kg
	Quality Features	<ul style="list-style-type: none"> • Ultra-compact and lightweight design • Cool and dehumidify air at the touch of a button • Efficient air distribution in two directions
/ Air distribution box		
Number of air vents	2 (front/rear)	
Air vent functions	Continuous air flow regulation for all vents	
Number of blower speeds	4	
Remote control	•	
Test marks	E-approved to EMC / automotive directive	
Product	Ref. No.	
Dometic FreshJet 1700	9105306658	
/ Optional extras		
Adapter frame for the FreshJet models in roof openings which exceed the standard opening size of 400 x 400 mm	9103500476	
Adapter frame for air conditioners or roof lights on a trapezoidal sheet metal roof	9104114007	
Dometic DC Kit DSP-T 12, 12 V	9600007286	
Dometic DC Kit DSP-T 24, 24 V	9600007287	



DOMETIC FRESHJET 2000

Roof air conditioner with air distribution box for panel vans

   	Best for vehicle length	max. 6.5 m
	Cooling capacity	2000 W/ 6825 Btu/h
	Heating capacity	1200 W
	Consumption	
	Cooling/heating mode	950 / 1200 W
	Input voltage	230 V AC / 50 Hz
	Current consumption	
	Cooling/heating mode	4.1 / 5.2 W
	Required circuit protection	
	Cooling	5 A
	Heating	6 A
	Refrigerant	R407c
	Refrigerant quantity	0.520 kg
	CO₂ equivalent	0.92248 t
	Global warming potential (GWP)	1774
Dimensions (W x H x D)		
External	562 x 225 x 787 mm	
Internal	470 x 45 x 555 mm	
Roof opening (W x D)	400 x 400 mm	
Roof thickness	25 – 60 mm	
Weight	32 kg	
Quality Features	<ul style="list-style-type: none"> • Ultra-compact and lightweight design • Cool and dehumidify air at the touch of a button • Efficient air distribution in four directions 	
/ Air distribution box		
Number of air vents	4 (left / right / front / rear)	
Air vent functions	Continuous air flow regulation for all vents	
Number of blower speeds	4	
Remote control	•	
Test marks	E-approved to EMC / automotive directive	
Product	Ref. No.	
Dometic FreshJet 2000	9600025737	
/ Optional extras		
Adapter frame for the FreshJet models in roof openings which exceed the standard opening size of 400 x 400 mm	9103500476	
Adapter frame for air conditioners or roof lights on a trapezoidal sheet metal roof	9104114007	
Dometic DC Kit DSP-T 12, 12 V	9600007286	
Dometic DC Kit DSP-T 24, 24 V	9600007287	






DOMETIC FRESHJET 2200

Roof air conditioner with air distribution box

    	Best for vehicle length	max. 7 m
	Cooling capacity	2200 W / 7500 Btu/h
	Heating capacity	1200 W
	Consumption	
	Cooling/heating mode	950 / 1200 W
	Input voltage	230 V AC / 50 Hz
	Current consumption	
	Cooling/heating mode	4.1 / 5.2 W
	Required circuit protection	
	Cooling	5 A
	Heating	6 A
	Refrigerant	R407c
	Refrigerant quantity	0.520 kg
	CO₂ equivalent	0.92248 t
	Global warming potential (GWP)	1774
Dimensions (W x H x D)		
External	562 x 225 x 787 mm	
Internal	470 x 45 x 555 mm	
Roof opening (W x D)	400 x 400 mm	
Roof thickness	25 – 60 mm	
Weight	32 kg	
Quality Features	<ul style="list-style-type: none"> • Ultra-compact and lightweight design • Cool and dehumidify air at the touch of a button • Efficient air distribution in two directions 	
/ Air distribution box		
Number of air vents	2 (front / rear)	
Air vent functions	Continuous air flow regulation for all vents	
Number of blower speeds	4	
Remote control	•	
Test marks	E-approved to EMC / automotive directive	
Product	Ref. No.	
Dometic FreshJet 2200	9105306515	
Dometic FreshJet 2200 grey	9600025788	
/ Optional extras		
Adapter frame for the FreshJet models in roof openings which exceed the standard opening size of 400 x 400 mm	9103500476	
Adapter frame for air conditioners or roof lights on a trapezoidal sheet metal roof	9104114007	
Dometic DC Kit DSP-T 12, 12 V	9600007286	
Dometic DC Kit DSP-T 24, 24 V	9600007287	



DOMETIC FRESHJET 3000

Roof air conditioner with air distribution box

	Best for vehicle length	from 7 m
	Cooling capacity	594 W to 2516 W
	Heating capacity	898 W to 3107 W (Maximum heating capacity heat pump capacity)
	Consumption	
	Cooling	1300 W
	heat pump	1350 W
	Input voltage	230 V AC / 50 Hz
	Current consumption	
	Cooling	2.3 to 4.6 A
	Heating	2.3 to 7.4 A
	Required circuit protection	
	Cooling	10 A
	Refrigerant	R410a
	Refrigerant quantity	0.735 kg
	CO₂ equivalent	1.53468 t
	Global warming potential (GWP)	2088
	Dimensions (W x H x D)	
	External	665 x 240 x 997 mm
	Internal	518 x 48 x 579 mm
	Roof opening (W x D)	400 x 400 mm or 360 x 360 mm
	Roof thickness	25 – 60 mm
	Weight	36 kg
	Quality Features	<ul style="list-style-type: none"> • Powerful air conditioning for large vehicles • Cool, warm or dehumidify air at the touch of a button • Efficient air distribution in two directions • Very quiet running due to new generation of variable speed compressor
	/ Air distribution box	
	Number of air vents	2 (front/rear)
	Air vent functions	Continuous air flow regulation for all vents
	Number of blower speeds	4
	Remote control	•
	Test marks	E-approved to EMC / automotive directive
	Product	Ref. No.
Dometic FreshJet 3000	9600026626	
/ Optional extras		
	Adapter frame for the FreshJet models in roof openings which exceed the standard opening size of 400 x 400 mm	9103500476
Adapter frame for air conditioners or roof lights on a trapezoidal sheet metal roof	9104114007	

DOMETIC FRESHLIGHT 2200




Roof air conditioner with roof window

	Best for vehicle length	max. 7 m
	Cooling capacity	2050 W / 7500 Btu/h
	Heating capacity	2700 (Maximum heating capacity heat pump capacity)
	Consumption	
	Cooling	950 W
	Heat pump	1200 W
	Input voltage	230 V AC / 50 Hz
	Current consumption	
	Cooling	4.1 A
	Heating	5.2 A
	Required circuit protection	
	Cooling	5 A
	Refrigerant	R407c
	Refrigerant quantity	0.560 kg
	CO₂ equivalent	0.9934 t
	Global warming potential (GWP)	1774
	Dimensions (W x H x D)	
	External	758 x 210 x 1105 mm
	Internal	550 x 53 x 880 mm
	Roof opening (W x D)	400 x 700 mm
	Roof thickness	25 – 60 mm
	Weight	42 kg
	Quality Features	<ul style="list-style-type: none"> • Temperature and blower speed can be conveniently set by remote control • Control panel with integrated, dimmable LED lights • Individual air flow regulation with automatic blower control • Energy-efficient cooling mode and heat pump system for heating mode • Roof window with active ventilation system and single-pleated darkening screen
	/ Air distribution box	
	Number of air vents	2 (front/rear)
	Air vent functions	Continuous air flow regulation for all vents
	Number of blower speeds	4
	Remote control	•
	Test marks	E-approved to EMC / automotive directive
	Product	Ref. No.
Dometic FreshLight 2200	9102900165	
/ Optional extras		
	Protective cover	9103500237
	Dometic DC Kit DSP-T 12, 12 V	9600007286
Dometic DC Kit DSP-T 24, 24 V	9600007287	

DOMETIC FRESHWELL 3000

Under-bench air conditioning unit for vehicle lengths of up to 8 m

2.13

	Best for vehicle length	max. 8 m
	Cooling capacity	2700 W / 9200 Btu/h
	Heating capacity	3000 W Maximum heating capacity = heat pump capacity plus heating resistor capacity
	Consumption	
	Cooling	990 W
	Heat pump	1100 W
	Input voltage	230 V AC / 50 Hz
	Current consumption	
	Cooling	4.3 A
	Heating	4.8 A
	Required circuit protection	
	Cooling	5 A
	Heating	5 A
	Refrigerant	R410a
	Refrigerant quantity	0.600 kg
	CO₂ equivalent	1.2528 t
	Global warming potential GWP)	2088
	Dimensions (W x H x D)	400 x 286 x 628 mm
	Weight	21 kg
	Quality Features	<ul style="list-style-type: none"> • Under-bench position means the vehicle's height is unaffected • Can be operated even while driving. Low noise air circulation • Lightweight and compact unit • Soft start function
		
		
	/ Air distribution box	
	Number of air vents	3 air outlets
	Air vent functions	3 air outlets (optional) to be placed centrally or where required
	Number of blower speeds	3
	Remote control	•
	Test marks	E-approved to EMC /automotive directive
	Product	Ref. No.
	Dometic FreshWell 3000	9105306670
	/ Optional extras	
	Dometic DC Kit DSP-T 12, 12 V	9600007286
	Dometic DC Kit DSP-T 24, 24 V	9600007287

	/ Required accessories for individual air distribution	
	Curve 90°, ø 60 mm	9100300015
	Air outlet grill kit 3-pieces, ø 60 mm	9100300077
	Circular air inlet grill 2 pieces, ø 190 mm	9100300018
	Flexible hose ø 60 mm x 10 m	9100300019
	Rectangular air inlet grill 240 x 240 mm	9100300017

OPERATION WHILE DRIVING – DC KITS MAKE IT POSSIBLE

FAR MORE THAN “JUST” A CONVERTER

Our two DC kits integrate a high-quality inverter that generates a pure sine wave voltage to supply the air conditioner or other electrical devices during the journey. DC Kit DSP-T 12 is for vehicles with 12-volt batteries, DC Kit DSP-T 24 for vehicles with 24-volt batteries. Both comfort kits can be used with all FreshJet air conditioner models. Features and functions include a charging current distributor with low-voltage protection, a priority circuit for 230-volt mains operation, and the new remote control, Dometic DSP-RCT.

DOMETIC DC KIT DSP-T 12 / DC KIT DSP-T 24

2.08

DC extension kits for Dometic air conditioners, 12 V or 24 V

	DC KIT DSP-T 12	DC KIT DSP-T 24	
	Power consumption (12 V DC)*1	30 – 113 A	50 – 75 A
	Recommended generator capacity *2	>150 A	> 75 A
	Recommended total battery capacity *3	> 250 Ah	> 250 Ah
	Continuous output	1,800 W	
	Size Inverter (W x H x D)	284 x 118 x 405 mm	
	Scope of delivery		
	Sinewave inverter	•	•
	Mains priority circuit	•	•
	Remote control, control cable	7.5 m	7.5 m
	2 battery cables, 1.5 m long	35 mm ²	35 mm ²
	230-volt connection cable	2 pieces	2 pieces
	Charging current distributor with power relay	•	•
	/ Compatible with Dometic air conditioners		
	FreshLight 2200	•	•
	FreshJet 1700	•	•
	FreshJet 2000	•	•
	FreshJet 2200	•	•
	FreshWell 3000	•	•
	Product	Ref. No.	
	Dometic DC Kit DSP-T 12, 12 V	9600007286	
	Dometic DC Kit DSP-T 24, 24 V	9600007287	

*1 Power consumption depends on the type of air conditioner and ambient temperatures.

*2 Generator capacity depends on the type of air conditioner and ambient temperatures.

*3 Total battery capacity depends on the type of air conditioner and ambient temperatures.








Our DuraSea rooftop air conditioner is the ideal climate solution for supply vessels, patrol boats and houseboats. The extremely robust yet lightweight unit can be easily installed on any horizontal deck or rooftop area – no ducting, no plumbing required! The self-contained marine climate systems in the MCS T series are a popular retrofit solution for pleasure boats. Their award-winning DTU

unit allows fast, easy and versatile installation. Featuring rotatable blowers for custom installation, composite drain pans with quick fittings and superior vibration insulation for quiet operation, MCS T systems offer genuine OEM quality. Thanks to efficient heat pump technology, they can also be used for heating at water temperatures down to +6 °C.

DOMETIC DURASEA

Rooftop air conditioner, 12,000 BTU/h, polar white


2.12

	Capacity	12,000 BTU/h
	Run Amps	15.8 A
	Locked Rotor Amps (LRA)	66
	Refrigerant Type	Green gas
	Dimensions (W x H x D)	884.68 x 359.46 x 754.13 mm
	Net Weight	39.47 kg
	Quality Features	<ul style="list-style-type: none"> An extremely robust yet lightweight design The 12,000 BTU/h cooling capacity is the ideal climate solution for supply vessels, patrol boats and houseboats Can be installed in a flat position on any horizontal deck or rooftop location to cool the area directly below it
	Product	Ref. No.
	Rooftop A/C	9105305765
	/ Required part (to complete installation)	
	Air distribution kit	9108798428
		

DOMETIC MCS T6 / MCS T12 / MCS T16

Marine climate system

2.12

	MCS T6	MCS T12	MCS T16	
	Cooling / heating capacity	6000 BTU/h / 1750 W	12000 BTU/h / 3500 W	16000 BTU/h / 4700 W
	Consumption (at 230 V) in cooling / heating mode	890 W / 1130 W	1030 W / 1270 W	1320 W / 1660 W
	Current consumption in cooling / heating mode	3.7 A / 4.7 A	4.3 A / 5.3 A	5.5 A / 6.9 A
	Required circuit protection	min. 6 A, max. 10 A, delay fuse	min. 8 A, max. 10 A, delay fuse	min. 11 A, max. 15 A, delay fuse
	Starting current	up to 18.7 A	up to 22 A	up to 23 A
	Number of blower speeds	6 / automatic	6 / automatic	6 / automatic
	Temperature range (preset)	18 °C to 30 °C	18 °C to 30 °C	18 °C to 30 °C
	Thermostat temperature control	yes	yes	yes
	Refrigerant*	R410a	R410a	R410a
	Dimensions (W x H x D) A/C unit	448 x 282 x 272 mm	519 x 318 x 315 mm	544 x 341 x 338 mm
	Electronic control	81 x 64 x 24 mm	81 x 64 x 24 mm	81 x 64 x 24 mm
	Weight (unit only)	19.3 kg	26 kg	28 kg
	Scope of delivery	A/C unit, electrical box and control panel, seawater pump, seawater strainer, air ducts, supply-air and return-air grilles, seawater hose, through-hull fittings, fixing material, fittings, valves		

Product	Ref. No.
Dometic MCS T6	9600000549
Dometic MCS T12	9600000550
Dometic MCS T16	9600000551
/ Optional extras	
Dometic MCS-SC, Sound insulation cover for Dometic MCS T6	9108723465
Dometic MCS-SC, Sound insulation cover for Dometic MCS T12	9108723467
Dometic MCS-SC, Sound insulation cover for Dometic MCS T16	9108723469
Dometic MCS-DSPL, Elite II display for Dometic marine climate systems	9108687462
Dometic MCS-CTRL, Smart Touch cabin control for Dometic marine climate systems	9600003187
Dometic MCS-AF, Bezel for MCS display, graphite grey	9108824444


MCS T6/ MCS T12 / MCS T16




MCS-SC



MCS-DSPL



Smart Touch



MCS-AF

HOW TO FIND THE MATCHING MCS T MODEL

	Below deck (no windows)	Mid deck (small windows)	Above deck (large windows)
Dometic MCS T6	8 m ²	5 m ²	4 m ²
Dometic MCS T12	16 m ²	10 m ²	8 m ²
Dometic MCS T16	23 m ²	15 m ²	12 m ²


Maximum air-conditioned room size (at ambient temperatures of 20 – 35 °C)

* Contains fluorinated greenhouse gases. Hermetically sealed equipment. R410A T6: 241 g / T12: 298 g / T16: 354 g. CO₂ equivalent T6: 0.503 t / T12: 0.681 t / T16: 0.799 t. GWP 2088

DOMETIC AIR DISTRIBUTION KIT

2.08


Air Distribution Kit for Dometic MCS

	Quality Features	<ul style="list-style-type: none"> Allows two cabins to be cooled or warmed simultaneously Flexible to ensure easy fitting regardless of existing mounting conditions Used with Dometic MCS 10, MCS 12, MCS 15, MCS 16 air climate control systems
	Product	Ref. No.
Dometic Air distribution kit		9108549923

DOMETIC SMARTSTART III

2.08


Soft starter for marine air conditioning

	Quality Features	<ul style="list-style-type: none"> Prevents voltage spikes when starting, helps prevent power outages Problem-free air conditioner start-up at moorings with low quality electrical circuit protection Reduces startup amps by up to 65 %
	Product	Ref. No.
Dometic SmartStart III, Soft starter for marine air conditioning, 16 A, 30–85 kBTU/h		9600001290
Dometic SmartStart III, Soft starter for marine air conditioning, 32 A, 85–175 kBTU/h		9600001291

DOMETIC BREATHE EASY

2.12

Air purifier

		AIR PURIFIER FOR 4" (102 MM) DUCT	AIR PURIFIER FOR 6" (154 MM) DUCT
	UV bulb	12 watts	
Volts / Hz / mA	230 AC / 50 Hz / 350 mA		
Test mark	CE		
Dimensions (H x W)	165 x 267 mm	191 x 267 mm	
Quality Features	<ul style="list-style-type: none"> Uses an intense ultraviolet light and does no harm to ozone Silent operation, photocatalytic Nano-Mesh structure is safe and powerful, does not degrade under intense ultraviolet light Reduce mold spores, bacteria, viruses, and fumes with a reduction of up to 99.9 % in bacteria, fungi, mold, and pollen grains Cleaner air may lessen allergy and asthma symptoms Eliminates unpleasant odors, enhances air quality 		
Scope of delivery	Scope of delivery: in-duct air purifier, one UV bulb, power cord with ballast/power supply.		
Product			Ref. No.
Dometic Breathe Easy, Air purifier for 4" (102 mm) duct		9108682881	
Dometic Breathe Easy, Air Purifier for 6" (154 mm) duct		9108681937	

DOMETIC PML250C / PML500C / PMA1000C

2.12

Centrifugal seawater pump for marine A/C systems, 230 V

	PML250C	PML500C	PMA1000C	
	Max. flow	19 l/min	23 l/min	45 l/min
	Max. head	3.9 m	5.8 m	8.2 m
	Connections Inlet	3/4" MP	3/4" MP	1" FPT
	Connections Outlet	1/4" MPT	1/2" MPT	1/2" MPT
	Motor HP	1/35	1/20	1/8
	Input Voltage	230 V	230 V	230 V
	Frequency (1)	50/60 Hz	50/60 Hz	50/60 Hz
	Current consumption	0.53 A	1.00 A	2.1 A
	Weight	2.09 kg	3.27 kg	7.03 kg
	Motor type (2)	TE/SUB	TE/SUB	OD
Quality Features	<ul style="list-style-type: none"> Efficient motor with low power consumption Magnetic-drive impeller means there is no seal to wear, leak or repair Marine-grade base and corrosion-resistant components that are in contact with water ensure durability Three-phase ignition-protected motors Quiet operation 	<ul style="list-style-type: none"> High-capacity centrifugal pumps Vibration-isolation mounts reduce noise and vibration Seawater-grade construction with glass-filled polypropylene or bronze pump heads Single-phase motors have built-in thermal overload and ignition protection Three-phase ignition-protected motors 	<ul style="list-style-type: none"> Packaging of multiple essential components simplifies installation Expansion tank protects against thermal expansion Dual-scale pressure gauge is convenient for US and international customers Pressure gauge connected to inlet pipe gives most accurate reading Bladder-style expansion tank protects against loss of air cushion 	
Product			Ref. No.	
Dometic PML250C		9108549752		
Dometic PML500C		9108549754		
Dometic PMA1000C		9108549776		



CoolAir compressor parking coolers have been around for over ten years to improve working conditions, safety and cost efficiency in the European utility vehicle industry. The range includes rooftop air

conditioners for all performance requirements as well as a split system for truck cabins that cannot accommodate a roof-mounted unit.

SELF-CONTAINED PARKING COOLERS FOR INSTALLATION ON THE CABIN ROOF



COOLAIR RT 780

This rooftop parking cooler is designed for day trips and inner-city distribution services. It gives drivers a pleasant climate during shorter stops and waiting periods.



COOLAIR RTX 1000

Highly efficient truck parking cooler with third generation CoolAir technology. 1200 watts of power, up to 12 hours runtime. Ideal for longer trips in moderate climates.



COOLAIR RTX 2000

Generating a full 2000 watts for up to 6 hours, this power pack cools down even larger cabins in no time at all. Tested and approved in Australia. Perfect for everyone resting at daytime or going to hot regions.

SPLIT PARKING COOLER FOR TRICKY INSTALLATION CONDITIONS



COOLAIR SPX 1200

What do you do if there's no way to install a roof parking cooler, because the cabin is too tall or already fitted with a roof-mounted structure, or the roof slope is too high? For cases like these we have designed the SPX 1200 split parking cooler.

DOMETIC COOLAIR RTX 1000 / RTX 2000


Truck parking cooler


	COOLAIR RTX 1000	COOLAIR RTX 2000	
	Voltage	24 V DC	24 V DC
	Current consumption	5 – 25 A	5 – 29 A
	Cooling capacity rated to ISO 5151	1200 W	2000 W
	Contains fluorinated greenhouse gases. Hermetically sealed equipment	R 134a / 0.35 kg CO ₂ -Equivalent = 0.500 t	R 134a / 0.8 kg CO ₂ -Equivalent = 1.144 t
	System	Self-contained and battery operated truck parking cooler to be installed in the existing roof hatch. Hermetically sealed and maintenance free refrigerant circuit with inverter compressor. Adjustable low-voltage cut-out.	
	Dimensions (W x H x D)	859 x 308 x 645 mm (height on roof: 169 mm – without gasket)	
	Weight	approx. 22.8 kg	approx. 31.5 kg
	Colour / Material	Top cover: ASA/PC, white, Base: ASA/PC, anthracite	
	Quality features	<ul style="list-style-type: none"> Up to 12 h running time Very quiet running Turbo cooling operating mode for quick cooling All A/C components integrated into roof unit ADR compliant High cooling capacity: 1200 W Highly efficient: only 8 A power consumption in Eco mode 	<ul style="list-style-type: none"> Up to 6 h running time Very quiet running Turbo cooling operating mode for quick cooling All A/C components integrated into roof unit ADR compliant High cooling capacity: 2000 W Highly efficient: only 9,5 A power consumption in Eco mode
	Test marks	e-approved (Automotive EMC Directive)	
	Scope of delivery	Parking cooler, remote control, operating manual	
	Product	Ref. No.	
	Dometic CoolAir RTX 1000	9600010207	
	Dometic CoolAir RTX 2000	9600010208	
	/ Accessories (optional)		
	Battery connection cable, 6 mm ² , 11 m long, for vehicles with power management	9100300108	
	Set for electrical circuit protection when the 11 m cable is used	9100300110	
	/ Accessories (required)		
	Vehicle-specific installation kits RTX 1000 / RTX 2000 (covering frames, seals, fixing materials, connection cable, installation instructions)		
	DAF XF 106, SC	9100300078	
	MB Atego ^{1,3}	9100300081	
	MAN TGS/TGX XL,XXL,LX	9100300133	
	MAN TGS/TGX XL,XXL,LX lion beige 2017	9100300134	
	Renault T+C, H1	9100300135	
	Renault T+C, H2, High-sleeper Cab ⁴	9100300136	
	MB Actros/Antos/Arocs (SFTP) ^{1,5}	9100300137	
	DAF XF 106 SSC ⁶	9100300138	
	Iveco Stralis Hi-Way	9100300140	
	Iveco Stralis HI-STREET, HI-ROAD	9100300141	
	Universal 1 (screw fastening)	9100300151	
	Universal 2 (bracket fastening)	9100300152	
	SCANIA Highline/Topline ²	9100300154	
	SCANIA NG 2017	9100300156	
	All installation kits are designed for current vehicle models. More models on request. Please check "preconditions for installation" document for further installation information. Scope of delivery: cover frame, seals, installation fittings, 4 m connection cable incl. sensing line, installation instructions		
	1 MAN and MB kits with 11 m connection cable and matching installation material		
	2 For mechanical roof hatch you will additionally require 2 original Scania brackets (Scania item number 1533737) for installation.		
	3 Only for electrical roof hatch, for manual roof hatch use Universal 1		
	4 For Trucks with air deflector, check with Renault for installation options / not for High-Sleeper Cab		
	5 Not for Compact and GigaSpace roof versions		
	6 For sloped roofs use RTX 2000		

DOMETIC COOLAIR RT 780

Truck parking cooler


2.09

	RT 780 0° COMPRESSOR TILT	RT 780 12° COMPRESSOR TILT
		
Voltage	24 V DC	24 V DC
Current consumption	12 – 22 A	12 – 22 A
Cooling capacity rated to ISO 5151	780 W	780 W
Contains fluorinated greenhouse gases. Hermetically sealed equipment	R 134a / 0.2 kg CO ₂ -Equivalent = 0.286 t	R 134a / 0.2 kg CO ₂ -Equivalent = 0.286 t
System	Self-contained and battery operated truck parking cooler to be installed in the existing roof hatch. Hermetically sealed and maintenance free refrigerant circuit with rotary compressor. Adjustable low-voltage cut-out.	
Dimensions (W x H x D)	830 x 284 x 629 (building height 160 mm)	
Weight	approx. 22 kg	approx. 22 kg
Colour / Material	Upper shell white	Upper shell white
Quality features	<ul style="list-style-type: none"> • Single unit design means quick fit and low maintenance - no need to even fill up with refrigerant • Flexible air flow through four individually adjustable nozzles • Settings conveniently managed by remote control • Outstanding air cooling and dehumidification • UV resistant cover shell can be spray-painted to match external bodywork • Can be used while driving in addition to factory-fitted air conditioner 	
Test marks	e-approved (Automotive EMC Directive)	
Scope of delivery	Parking cooler, remote control, operating manual	
Product	Ref. No.	
Dometic CoolAir RT 780, 0° compressor tilt	9105306291	
Dometic CoolAir RT 780, 12° compressor tilt	9105306292	
/ Accessories (optional)		
Battery connection cable, 6 mm ² , 11 m long, for vehicles with power management	9100300027	
Remote control	9100300113	
/ Accessories (required)		
Vehicle-specific installation kits (covering frames, seals, fixing materials, connection cable, installation instructions)		
DAF XF105, XF106, SC	9100300029	
DAF XF105, XF106, SSC	9100300030	
IVECO HI-STREET, HI-ROAD 3, 4 (Only RT 780 12° Compressor Tilt)	9100300064	
IVECO HI-WAY ^{3,4} (Only RT 780 12° Compressor Tilt)	9100300065	
MAN TGS/TGX XL, XXL, LX ³	9100300031	
MB Actros –2011 ^{1,3}	9100300032	
MB Actros SFTP/ Antos /Arocs (SFTP)3 (except Compact Space)	9100300057	
MB Atego/Axor ³	9100300033	
Renault T+C, H1	9100300066	
Renault T+C, H2 (exc. High Sleeper Cab)	9100300067	
Renault Magnum	9100300034	
Renault Premium	9100300035	
Scania Topline2 / Highline	9100300036	
Volvo (FH3) L2H2	9100300043	
Volvo (FH3) L2H3	9100300037	
Universal 1 (screw mounting)	9100300038	
Universal 2 (bracket mounting)	9100300039	
1 For electrical roof hatch only, for mechanical roof hatch use Universal 1		
2 For mechanical roof hatches you require 2 original Scania holders (Scania no. 1533737)		
3 Incl. battery connection cable 11 m and mounting material		
Please note the applicable preconditions for installation (at dometic.com) and the specifications of the vehicle manufacturer		



DOMETIC COOLAIR SPX 1200T / 1200C / 1200I

Split parking coolers

	COOLAIR SPX 1200T	COOLAIR SPX 1200C	COOLAIR SPX 1200I
			
Ref. No.	9600011575	9600011574	9600011576
Voltage	24 V DC	24 V DC	24 V DC
Current consumption	5–25 A	5–25 A	5–25 A
Cooling capacity	1200 W	1200 W	1200 W
Contains fluorinated greenhouse gases. Hermetically sealed equipment.	R134a/0.1 kg CO ₂ -Equivalent = 0.100 t	R134a/0.45 kg CO ₂ -Equivalent = 0.172 t	R134a/0.1 kg CO ₂ -Equivalent = 0.086 t
System	Three blower levels and automatic mode	Rotary compressor for mobile use, soft-start electronics, adjustable low-voltage protection for vehicle battery	Three blower levels and automatic mode
Dimensions (W x H x D)	781 x 168 x 612 mm Height on roof: 57 mm without gasket	367 x 573 x 162 mm	278 x 648 x 147 mm
Weight	approx. 21 kg	approx. 13 kg	approx. 15 kg
Colour	exterior cover white, inside anthracite	white	anthracite
Quality features	UV-resistant upper shell, can be spray-painted, control panel with digital status readout, remote control, five individually adjustable nozzles	UV-resistant upper shell	Control panel with digital status readout, remote control, five individually adjustable nozzles
Test marks	e-approved (Automotive EMC Directive)	e-approved (Automotive EMC Directive)	e-approved (Automotive EMC Directive)
Scope of delivery	Roof evaporator unit, remote control, operating manual	Compressor unit, installation fittings, installation instructions	Interior evaporator unit, exterior supply line cover, remote control, operating manual, fixing material, installation instructions
/ Accessories (optional)	Battery connection cable, 8 mm ² , 11 m long, for vehicles with power management 9100300027		

Vehicle-specific installation kits for SPX 1200T (required)

Vehicle	Ref. No.
DAF XF 106, SC	9100300078
MB Atego	9100300081
MAN TGS/TGX XL, XXL, LX ¹	9100300133
MAN TGS/TGX XL, XXL, LX lion beige 2017	9100300134
Renault T+C, H1	9100300135
Renault T+C, H2, High-sleeper Cab	9100300136
MB Actros/Antos/Arocs (SFTP) ^{1,2,5}	9100300137
DAF XF 106 SSC	9100300138
Iveco Stralis Hi-Way	9100300140
Iveco Stralis HI-STREET, HI-ROAD	9100300141
Universal 1 (screw fastening)	9100300151
Universal 2 (bracket fastening)	9100300152
SCANIA Highline/Topline	9100300154
SCANIA NG 2017	9100300156

Vehicle-specific fastening frames for SPX 1200C (required)

Vehicle	Ref. No.
DAF 95/105 Space/Superspace	9100300046
MAN TGS/TGX L, LX, XL	9100300049
MAN TGS/TGX XXL, XLX	9100300050
SCANIA Highline/Topline ³	9100300054
MB Actros (SFTP)	9100300060
Renault T+C	9100300071
Volvo FH44 ⁴	9100300072
Iveco Hi-Way Stralis, Hi-Way Euro 6	9100300075
SCANIA NG 2017	9100300155

All installation kits are designed for current vehicle models. More models on request. Please check "Preconditions for installation" document for further installation information. **Scope of delivery:** cover frame, seals, installation fittings, 4 m connection cable, installation instructions

¹ MAN and MB kits with 11 m connection cable and matching installation material

² Only for electrical roof hatch (for mechanical roof hatch use Universal 1)

³ For mechanical roof hatch you will additionally require 2 original Scania brackets (Scania item number 1533737) for installation.

⁴ For cabs up to model year 2014

⁵ Not for CompactSpace roof versions



HEAVY DUTY AIR CONDITIONERS



PERFECT CLIMATE FOR ELECTRIC AND SPECIAL VEHICLES

Working conditions can be hot and stressful. The climate in the cabin of a utility vehicle should be cool and relaxed. After all, soaring temperatures significantly impair the driver's concentration and fitness to drive. Dometic FreshAir HDE roof air conditioners minimise this safety risk.

Designed for agricultural machinery, cranes, fork-lift trucks, forestry and terminal vehicles they quickly chill the air in the cabin. They are pleasantly quiet, compact in size and fitted with battery-saving inverter technology. Four models are available – for 12 V, 24 V, 48 V and 80 V operation.

DOMETIC FRESHAIR HDE

Rooftop air conditioner

	HDE, 12 V	HDE, 24 V	HDE, 48 V	HDE, 80 V	
	Voltage	12 V DC	24 V DC	48 V DC	80 V DC
	Current consumption	90 A	60 A	30 A	20 A
	Cooling capacity rated to ISO 5151	2200 W	2800 W	3300 W	3300 W
	System	Compressor			
	Functions	Cooling/recirculation air			
	Cabin size	2 – 3 m ³			
	Dimensions (W x H x D)	766 x 213 x 537 mm			
	Weight	33 kg			
	Quality features	<ul style="list-style-type: none"> • Powerful cooling technology ensures fast and effective cooling • Efficient inverter technology saves battery power • Minimal vibration for a quieter performance • Lightweight • Easy to install • Models available with 12 V, 24 V, 48 V and 80 V operation • Factory pre-charged with refrigerant 			
	Product	Ref. No.			
	Dometic FreshAir HDE Rooftop air conditioner, 12 V	8881200126			
	Dometic FreshAir HDE Rooftop air conditioner, 24 V	8881200127			
	Dometic FreshAir HDE Rooftop air conditioner, 48 V	8881200128			
	Dometic FreshAir HDE Rooftop air conditioner, 80 V	8881200129			
	Dometic FreshAir HDE Drier	8880700352			
	Dometic FreshAir HDE Converter	8881800063			
	Dometic FreshAir HDE Air Filterv	8881300106			

OUR TIP:

FreshAir HDE roof air conditioners are supplied pre-filled with refrigerant, so they can be installed straight away.



SUN PROTECTION AND MORE

PERFECT CLIMATE FOR TRUCKS, RVS AND BOATS



WALL MOUNTED AWNINGS

The PerfectWall series gives you a wide choice of wall awnings to suit vehicles of all sizes. For manual crank operation or with a 12-volt electric motor. Also with factory fitted LED lighting, or as a complete package solution for VW T5/T6 California and Multivan.

PAGE 30 – 33



ROOF MOUNTED AWNINGS

Here again, you can choose from a huge range. PerfectRoof roof awnings come in many sizes and configurations. You will find manual and electric models, and also a self-supporting one. There's also a tailor-made awning package for Fiat Ducato and same design sister models.

PAGE 34 – 37



AWNING KITS

Tailormade solutions for panel vans

PAGE 38 – 48



AWNING ACCESSORIES

Besides matching adapters for all common vehicle models, our accessory range includes smart solutions for sun, rain and privacy protection, LED lighting and more. You can also add front walls, side walls or complete tents to create an extra room in front of the vehicle.

PAGE 49 – 59

THE PERFECT AWNING FOR EVERY TYPE OF VEHICLE

ALL IMPORTANT FEATURES AT A GLANCE



	WALL MOUNTED AWNINGS			ROOF MOUNTED AWNINGS	
	PW 1100	PW 1500	PW 3800	PR 2000	PR 2500
Width (m)	2.60 – 4.50	1.50 – 6.00	4.00 – 6.00	2.65 – 4.50	3.50 – 6.00
Extension (m)	2.00 – 2.50	1.0 – 2.75	2.75	2.00 – 2.50	2.50 / 2.75
Enhanced extension (2,75 m)	–	optional ¹⁾	–	–	optional ¹⁾
Weight (kg)	20 – 32	11 – 48	42 – 58.5	19 – 31	27 – 45
Case colour options	white / anthracite	white / anthracite / anodised	white	white / anthracite / anodised	white / anthracite / anodised
Fabric colour options	Horizon Grey	Horizon Grey / Horizon Blue	Horizon Grey / Horizon Blue	Horizon Grey / Horizon Blue	Horizon Grey / Horizon Blue
Self-supporting	–	–	•	–	–
Support legs (integrated in the front rail)	•	•	•	•	•
Remote control	–	optional	optional	–	optional
Wind sensor	–	–	optional	–	–
12-volt motor incl. remote control	–	optional	optional	–	optional
Aluminium end caps	–	•	•	–	•
Universal mounting bracket incl.	•	•	•	–	–
Locking device in the front rail	–	•	–	–	•
Telescopic crank	•	•	•	•	•
Sun & Rain Protect (front)	Accessory	Accessory	Accessory	Accessory	Accessory
Rollo +	Accessory	Accessory	Accessory	–	–
Sun & Rain Protect (side)	Accessory	Accessory	Accessory	Accessory	Accessory
CampRoom*	Accessory	Accessory	Accessory	Accessory	Accessory
Wall switch	–	Accessory	Accessory	–	Accessory
Connection kit	–	Accessory ²⁾	Accessory ²⁾	–	Accessory ²⁾

*) Special CampRoom for Ducato vehicles available
1) Only for awnings > 4.0 m

2) Only for models with motor




MANUAL OR WITH A MOTOR

Our manual awnings are operated with a crank, which is included in the delivery kit. Most of them are optionally available with an electric motor.



REMOTE CONTROL

All electric awnings come standard with a remote control for convenient operation at the touch of a button.




NEW PATENTED EASY LOCK FLIPPER

Secures the support legs in place – no accidental unlocking possible



WIND SENSOR

The electrical awning PW 3800 can be protected by an integrated wind sensor. When the sensor is activated, it ensures that the awning retracts automatically when the wind begins to blow – without you or your fellow travellers having to lift a finger.



COMPACT HOUSING

The size of the awning depends on the vehicle length and weight is another factor that needs to be taken into account. The longer the awning is the heavier it will be, of course. The spectrum ranges from 11 kg for the smallest models to 58.5 kg for the big ones. That means Dometic awnings are still lighter and more compact than comparable products of our competitors.




ALUMINIUM END CAPS

The end caps of most Dometic awnings are made of 100 % aluminium. Consequently, the Dometic awning is more resistant against shock and impact. End cap is painted in housing colour. (PW 1500, PW 3800, PR 2500)



PATENTED CLOSURE SYSTEM

The special, patented closure system lets the front rail firmly click into place in the housing. (PW 1500, PR 2500)




AWNING ADAPTERS

Vehicle walls and roofs are, among other things, design elements. That means they can have different shapes. With a comprehensive range of adapters Dometic ensures that the vehicle and the awning are perfectly coordinated, so you will get impeccable installation results.



ACCESSORIES

Our accessory range gives you a whole world of possibilities. For example, you can add side walls for additional protection, or complete awning tents to get an extra room in front of your vehicle.



FABRIC

Our awnings are made from a high-quality PVC material. UV-resistant, rot-proof and washable, it has all it takes for a long life expectancy. The awning is made from one whole piece of fabric, so there are no seams.



TELESCOPIC CRANK

The telescopic crank is included for all manual awnings. It can be easily adjusted to the vehicle height for ergonomic handling, or retracted for space-saving storage.




HOUSING COLOURS

The Dometic awnings are available in three housing colours.

DOMETIC REV ZIP ROLL OUT AWNING

2.09

Bag awning for caravans and motorhomes


	Quality Features	<ul style="list-style-type: none"> • Quick and simple installation without drilling – simply slides into the tent rail of the caravan or motorhome • Set-up and take-down in a matter of minutes – legs and roof rafters fold out of front rail • High-quality, durable awning fabric – 500 g/m² weatherproof and colourfast with anti-scratch coating • Extra strong, adjustable aluminium frame • Frees up interior storage space as the awning stays connected on the outside
--	-------------------------	--

LENGTH (M)	EXTENSION (M)	HOUSING COLOUR	FABRIC COLOUR	REF. NO.
2.00	1.45	ANODISED	GREY	9103104298
2.40	1.85	ANODISED	GREY	9103104299
2.70	2.15	ANODISED	GREY	9103104300
3.10	2.50	ANODISED	GREY	9103104301
3.50	2.50	ANODISED	GREY	9103104302
4.00	2.50	ANODISED	GREY	9103104303
4.50	2.50	ANODISED	GREY	9103104304

DOMETIC PERFECTWALL PW 1100

2.09

Wall mounted awning


	Description	This compact and robust wall awning offers several patented features for easy setup and handling. It is integrated in a newly designed, shapely housing.
	Quality Features	<ul style="list-style-type: none"> • Newly designed, shapely awning housing with no visible screws • New, patented slide-out support legs for convenient handling • Patented tension rafter can be stowed in the front rail to save space (awnings of 4 m or longer) • Patented Easy Lock Flipper to secure the support legs

LENGTH (M)	EXTENSION (M)	HOUSING COLOUR	FABRIC COLOUR	REF. NO.
2.60	2.00	WHITE	GREY HORIZON	9103104251
3.00	2.50	WHITE	GREY HORIZON	9103104252
3.50	2.50	WHITE	GREY HORIZON	9103104253
4.00	2.50	WHITE	GREY HORIZON	9103104254
4.50	2.50	WHITE	GREY HORIZON	9103104255
2.60	2.00	ANTHRACITE	GREY HORIZON	9103104280
3.00	2.50	ANTHRACITE	GREY HORIZON	9103104291

DOMETIC PERFECTWALL PW 1500

2.09

Wall mounted awning

	Description	This robust wall awning is ideally suited for large vehicles. The patented automatic front rail allows it to slide in and out smoothly. Aluminum end caps for heavy impact resistance.
	Quality Features	<ul style="list-style-type: none"> • Aluminium end caps, resistant to shock and impact • Patented locks on both sides of the front rail – for perfect closing • Patented front rail system guarantees a 100 % tight closing mechanism • High-quality awning fabric made of one piece – no welding seam • Support legs with patented Easy Lock Flipper

DOMETIC PERFECTWALL PW 1500 MANUAL AWNING

WIDTH (M)	EXTENSION (M)	HOUSING COLOR	FABRIC COLOR	REF.NO.
1.50	1.00	WHITE	GREY HORIZON	9103100027
2.60	2.00	WHITE	GREY HORIZON	9103100057
2.60	2.00	WHITE	BLUE HORIZON	9103100058
2.60	2.00	ANODISED	GREY HORIZON	9103100062

2.60	2.00	ANODISED	BLUE HORIZON	9103100063
2.60	2.00	ANTHRACITE	GREY HORIZON	9103100082
2.60	2.00	ANTHRACITE	BLUE HORIZON	9103100083
3.00	2.50	WHITE	GREY HORIZON	9103100087
3.00	2.50	WHITE	BLUE HORIZON	9103100088
3.00	2.50	ANODISED	GREY HORIZON	9103100092
3.00	2.50	ANODISED	BLUE HORIZON	9103100093
3.00	2.50	ANTHRACITE	GREY HORIZON	9103100112
3.00	2.50	ANTHRACITE	BLUE HORIZON	9103100113
3.50	2.50	WHITE	GREY HORIZON	9103100117
3.50	2.50	WHITE	BLUE HORIZON	9103100118
3.50	2.50	ANODISED	GREY HORIZON	9103100122
3.50	2.50	ANODISED	BLUE HORIZON	9103100123
3.50	2.50	ANTHRACITE	GREY HORIZON	9103100142
3.50	2.50	ANTHRACITE	BLUE HORIZON	9103100143
4.00	2.50	WHITE	GREY HORIZON	9103100177
4.00	2.50	WHITE	BLUE HORIZON	9103100178
4.00	2.50	ANODISED	GREY HORIZON	9103100182
4.00	2.50	ANODISED	BLUE HORIZON	9103100183
4.00	2.50	ANTHRACITE	GREY HORIZON	9103100202
4.00	2.50	ANTHRACITE	BLUE HORIZON	9103100203
4.50	2.50	WHITE	GREY HORIZON	9103100237
4.50	2.50	WHITE	BLUE HORIZON	9103100238
4.50	2.50	ANODISED	GREY HORIZON	9103100242
4.50	2.50	ANODISED	BLUE HORIZON	9103100243
4.50	2.50	ANTHRACITE	GREY HORIZON	9103100262
4.50	2.50	ANTHRACITE	BLUE HORIZON	9103100263
5.00	2.50	WHITE	GREY HORIZON	9103100297
5.00	2.50	WHITE	BLUE HORIZON	9103100298
5.00	2.50	ANODISED	GREY HORIZON	9103100302
5.00	2.50	ANODISED	BLUE HORIZON	9103100303
5.00	2.50	ANTHRACITE	GREY HORIZON	9103100322
5.00	2.50	ANTHRACITE	BLUE HORIZON	9103100323
5.50	2.50	WHITE	GREY HORIZON	9103100357
5.50	2.50	WHITE	BLUE HORIZON	9103100358
5.50	2.50	ANODISED	GREY HORIZON	9103100362
5.50	2.50	ANODISED	BLUE HORIZON	9103100363
5.50	2.50	ANTHRACITE	GREY HORIZON	9103100382
5.50	2.50	ANTHRACITE	BLUE HORIZON	9103100383

DOMETIC PERFECTWALL PW 1500 12 V AWNING

WIDTH (M)	EXTENSION (M)	HOUSING COLOR	FABRIC COLOR	REF.NO.
1.50	1.00	WHITE	GREY HORIZON	9103100027
2.60	2.00	WHITE	GREY HORIZON	9103100417
2.60	2.00	WHITE	BLUE HORIZON	9103100418
2.60	2.00	ANODISED	GREY HORIZON	9103100422
2.60	2.00	ANODISED	BLUE HORIZON	9103100423
2.60	2.00	ANTHRACITE	GREY HORIZON	9103100442
2.60	2.00	ANTHRACITE	BLUE HORIZON	9103100443
3.00	2.50	WHITE	GREY HORIZON	9103100447
3.00	2.50	WHITE	BLUE HORIZON	9103100448
3.00	2.50	ANODISED	GREY HORIZON	9103100452
3.00	2.50	ANODISED	BLUE HORIZON	9103100453
3.00	2.50	ANTHRACITE	GREY HORIZON	9103100472
3.00	2.50	ANTHRACITE	BLUE HORIZON	9103100473
3.50	2.50	WHITE	GREY HORIZON	9103100477
3.50	2.50	WHITE	BLUE HORIZON	9103100478
3.50	2.50	ANODISED	GREY HORIZON	9103100482
3.50	2.50	ANODISED	BLUE HORIZON	9103100483
3.50	2.50	ANTHRACITE	GREY HORIZON	9103100502
3.50	2.50	ANTHRACITE	BLUE HORIZON	9103100503

DOMETIC PERFECTWALL PW 1500 12 V AWNING


WIDTH (M)	EXTENSION (M)	HOUSING COLOR	FABRIC COLOR	REF.NO.
3.50	2.75	WHITE	GREY HORIZON	9103100507
3.50	2.75	WHITE	BLUE HORIZON	9103100508
3.50	2.75	ANODISED	GREY HORIZON	9103100512
3.50	2.75	ANODISED	BLUE HORIZON	9103100513
3.50	2.75	ANTHRACITE	GREY HORIZON	9103100532
3.50	2.75	ANTHRACITE	BLUE HORIZON	9103100533
4.00	2.50	WHITE	GREY HORIZON	9103100537
4.00	2.50	WHITE	BLUE HORIZON	9103100538
4.00	2.50	ANODISED	GREY HORIZON	9103100542
4.00	2.50	ANODISED	BLUE HORIZON	9103100543
4.00	2.50	ANTHRACITE	GREY HORIZON	9103100562
4.00	2.50	ANTHRACITE	BLUE HORIZON	9103100563
4.00	2.75	WHITE	GREY HORIZON	9103100567
4.00	2.75	WHITE	BLUE HORIZON	9103100568
4.00	2.75	ANODISED	GREY HORIZON	9103100572
4.00	2.75	ANODISED	BLUE HORIZON	9103100573
4.00	2.75	ANTHRACITE	GREY HORIZON	9103100592
4.00	2.75	ANTHRACITE	BLUE HORIZON	9103100593
4.50	2.50	WHITE	GREY HORIZON	9103100597
4.50	2.50	WHITE	BLUE HORIZON	9103100598
4.50	2.50	ANODISED	GREY HORIZON	9103100602
4.50	2.50	ANODISED	BLUE HORIZON	9103100603
4.50	2.50	ANTHRACITE	GREY HORIZON	9103100622
4.50	2.50	ANTHRACITE	BLUE HORIZON	9103100623
4.50	2.75	WHITE	GREY HORIZON	9103100627
4.50	2.75	WHITE	BLUE HORIZON	9103100628
4.50	2.75	ANODISED	GREY HORIZON	9103100632
4.50	2.75	ANODISED	BLUE HORIZON	9103100633
4.50	2.75	ANTHRACITE	GREY HORIZON	9103100652
4.50	2.75	ANTHRACITE	BLUE HORIZON	9103100653
5.00	2.50	WHITE	GREY HORIZON	9103100657
5.00	2.50	WHITE	BLUE HORIZON	9103100658
5.00	2.50	ANODISED	GREY HORIZON	9103100662
5.00	2.50	ANODISED	BLUE HORIZON	9103100663
5.00	2.50	ANTHRACITE	GREY HORIZON	9103100682
5.00	2.50	ANTHRACITE	BLUE HORIZON	9103100683
5.00	2.75	WHITE	GREY HORIZON	9103100687
5.00	2.75	WHITE	BLUE HORIZON	9103100688
5.00	2.75	ANODISED	GREY HORIZON	9103100692
5.00	2.75	ANODISED	BLUE HORIZON	9103100693
5.00	2.75	ANTHRACITE	GREY HORIZON	9103100712
5.00	2.75	ANTHRACITE	BLUE HORIZON	9103100713
5.50	2.50	WHITE	GREY HORIZON	9103100717
5.50	2.50	WHITE	BLUE HORIZON	9103100718
5.50	2.50	ANODISED	GREY HORIZON	9103100722
5.50	2.50	ANODISED	BLUE HORIZON	9103100723
5.50	2.50	ANTHRACITE	GREY HORIZON	9103100742
5.50	2.50	ANTHRACITE	BLUE HORIZON	9103100743
5.50	2.75	WHITE	GREY HORIZON	9103100747
5.50	2.75	WHITE	BLUE HORIZON	9103100748
5.50	2.75	ANODISED	GREY HORIZON	9103100752
5.50	2.75	ANODISED	BLUE HORIZON	9103100753
5.50	2.75	ANTHRACITE	GREY HORIZON	9103100772
5.50	2.75	ANTHRACITE	BLUE HORIZON	9103100773
6.00	2.50	WHITE	GREY HORIZON	9103100777
6.00	2.50	WHITE	BLUE HORIZON	9103100778
6.00	2.50	ANODISED	GREY HORIZON	9103100782
6.00	2.50	ANODISED	BLUE HORIZON	9103100783

6.00	2.50	ANTHRACITE	GREY HORIZON	9103100802
6.00	2.50	ANTHRACITE	BLUE HORIZON	9103100803
6.00	2.75	WHITE	GREY HORIZON	9103100807
6.00	2.75	WHITE	BLUE HORIZON	9103100808
6.00	2.75	ANODISED	GREY HORIZON	9103100812
6.00	2.75	ANODISED	BLUE HORIZON	9103100813
6.00	2.75	ANTHRACITE	GREY HORIZON	9103100832
6.00	2.75	ANTHRACITE	BLUE HORIZON	9103100833

DOMETIC PERFECTWALL PW3800

2.09

Wall mounted awning

	Description	
	<p>In a hot climate, protection from the sun helps you to derive even more enjoyment from your mobile home or caravan. This strong, self-supporting awning creates a pleasant shady spot in the blink of an eye – and looks great on the most exclusive vehicles thanks to its exclusive design.</p>	
	<p>Quality Features</p> <ul style="list-style-type: none"> • Very sturdy construction– self-supporting, or for use with support legs • Aluminium end caps – resistant to corrosion, shock and impact • High-quality awning fabric made of one piece – no welding seam • Support legs with patented Easy Lock Flipper • Available in lengths from 4.0 to 6.0 m – all models come standard with a 2.75 m extension 	

DOMETIC PERFECTWALL PW 3800 MANUAL AWNING

WIDTH (M)	EXTENSION (M)	HOUSING COLOR	FABRIC COLOR	REF.NO.
4.00	2.75	WHITE	BLUE HORIZON	9103104212
4.00	2.75	WHITE	GREY HORIZON	9103104211
4.50	2.75	WHITE	BLUE HORIZON	9103104215
4.50	2.75	WHITE	GREY HORIZON	9103104214
5.00	2.75	WHITE	BLUE HORIZON	9103104218
5.00	2.75	WHITE	GREY HORIZON	9103104217
5.50	2.75	WHITE	BLUE HORIZON	9103104221
5.50	2.75	WHITE	GREY HORIZON	9103104220
6.00	2.75	WHITE	BLUE HORIZON	9103104224
6.00	2.75	WHITE	GREY HORIZON	9103104223


DOMETIC PERFECTWALL PW 3800 12 V AWNING

WIDTH (M)	EXTENSION (M)	HOUSING COLOR	FABRIC COLOR	REF.NO.
4.00	2.75	WHITE	BLUE HORIZON	9103104226
4.00	2.75	WHITE	GREY HORIZON	9103104227
4.50	2.75	WHITE	BLUE HORIZON	9103104229
4.50	2.75	WHITE	GREY HORIZON	9103104230
5.00	2.75	WHITE	BLUE HORIZON	9103104232
5.00	2.75	WHITE	GREY HORIZON	9103104233
5.50	2.75	WHITE	BLUE HORIZON	9103104235
5.50	2.75	WHITE	GREY HORIZON	9103104236
6.00	2.75	WHITE	BLUE HORIZON	9103104238
6.00	2.75	WHITE	GREY HORIZON	9103104239

DOMETIC PERFECTROOF PR 2000

2.09

Roof mounted Awning

		PR 2000
	Description	Small, compact and easy on the wallet: the perfect roof mount for panel vans and small caravans.
	Quality Features	<ul style="list-style-type: none"> • Lightweight and compact dimensions – flattest roof awning in the market • Ideal for panel vans and small caravans • Plastic end caps • High-quality awning fabric made of one piece – no welding seam • Support legs with patented Easy Lock Flipper


DOMETIC PERFECTROOF PR 2000 MANUAL AWNING

WIDTH (M)	EXTENSION (M)	HOUSING COLOR	FABRIC COLOR	REF.NO.
2.65	2.00	WHITE	GREY HORIZON	9103102581
2.65	2.00	WHITE	BLUE HORIZON	9103102582
2.65	2.00	ANODISED	GREY HORIZON	9103102584
2.65	2.00	ANODISED	BLUE HORIZON	9103102585
2.65	2.00	ANTHRACITE	GREY HORIZON	9103102587
2.65	2.00	ANTHRACITE	BLUE HORIZON	9103102588
2.65	2.50	WHITE	GREY HORIZON	9103102590
3.00	2.50	WHITE	BLUE HORIZON	9103102591
3.00	2.50	ANODISED	GREY HORIZON	9103102593
3.00	2.50	ANODISED	BLUE HORIZON	9103102594
3.00	2.50	ANTHRACITE	GREY HORIZON	9103102596
3.00	2.50	ANTHRACITE	BLUE HORIZON	9103102597
3.25	2.50	WHITE	GREY HORIZON	9103102599
3.25	2.50	WHITE	BLUE HORIZON	9103102600
3.25	2.50	ANODISED	GREY HORIZON	9103102602
3.25	2.50	ANODISED	BLUE HORIZON	9103102603
3.25	2.50	ANTHRACITE	GREY HORIZON	9103102605
3.25	2.50	ANTHRACITE	BLUE HORIZON	9103102606
3.50	2.50	WHITE	GREY HORIZON	9103102608
3.50	2.50	WHITE	BLUE HORIZON	9103102609
3.50	2.50	ANODISED	GREY HORIZON	9103102611
3.50	2.50	ANODISED	BLUE HORIZON	9103102612
3.50	2.50	ANTHRACITE	GREY HORIZON	9103102614
3.50	2.50	ANTHRACITE	BLUE HORIZON	9103102615
3.75	2.50	WHITE	GREY HORIZON	9103102617
3.75	2.50	WHITE	BLUE HORIZON	9103102618
3.75	2.50	ANODISED	GREY HORIZON	9103102620
3.75	2.50	ANODISED	BLUE HORIZON	9103102621
3.75	2.50	ANTHRACITE	GREY HORIZON	9103102623
3.75	2.50	ANTHRACITE	BLUE HORIZON	9103102624
4.00	2.50	WHITE	GREY HORIZON	9103102626
4.00	2.50	WHITE	BLUE HORIZON	9103102627
4.00	2.50	ANODISED	GREY HORIZON	9103102629
4.00	2.50	ANODISED	BLUE HORIZON	9103102630
4.00	2.50	ANTHRACITE	GREY HORIZON	9103102632
4.00	2.50	ANTHRACITE	BLUE HORIZON	9103102633
4.50	2.50	WHITE	GREY HORIZON	9103104159
4.50	2.50	WHITE	BLUE HORIZON	9103104160
4.50	2.50	ANODISED	GREY HORIZON	9103104161
4.50	2.50	ANODISED	BLUE HORIZON	9103104162
4.50	2.50	ANTHRACITE	GREY HORIZON	9103104163
4.50	2.50	ANTHRACITE	BLUE HORIZON	9103104164

DOMETIC PERFECTROOF PR 2500

2.09

Roof mounted Awnings

		PR 2500
	Description	For vehicles of 4.50 m and over, this is one of the most compact awning solutions you'll find. With a patented locking system, it is lightweight yet incredibly robust and durable.
	Quality Features	<ul style="list-style-type: none"> • Aluminium end caps, resistant to shock and impact • Patented locks on both sides of the front rail – for perfect closing • High-quality awning fabric made of one piece – no welding seam • Support legs with patented Easy Lock Flipper

DOMETIC PERFECTROOF PR 2500 MANUAL AWNING

WIDTH (M)	EXTENSION (M)	HOUSING COLOR	FABRIC COLOR	REF.NO.
3.50	2.50	WHITE	GREY HORIZON	9103102637
3.50	2.50	WHITE	BLUE HORIZON	9103102638
3.50	2.50	ANODISED	GREY HORIZON	9103102642
3.50	2.50	ANODISED	BLUE HORIZON	9103102643
3.50	2.50	ANTHRACITE	GREY HORIZON	9103102647
3.50	2.50	ANTHRACITE	BLUE HORIZON	9103102648
3.75	2.50	WHITE	GREY HORIZON	9103102667
3.75	2.50	WHITE	BLUE HORIZON	9103102668
3.75	2.50	ANODISED	GREY HORIZON	9103102672
3.75	2.50	ANODISED	BLUE HORIZON	9103102673
3.75	2.50	ANTHRACITE	GREY HORIZON	9103102677
3.75	2.50	ANTHRACITE	BLUE HORIZON	9103102678
4.00	2.50	WHITE	GREY HORIZON	9103102697
4.00	2.50	WHITE	BLUE HORIZON	9103102698
4.00	2.50	ANODISED	GREY HORIZON	9103102702
4.00	2.50	ANODISED	BLUE HORIZON	9103102703
4.00	2.50	ANTHRACITE	GREY HORIZON	9103102707
4.00	2.50	ANTHRACITE	BLUE HORIZON	9103102708
4.50	2.50	WHITE	GREY HORIZON	9103102727
4.50	2.50	WHITE	BLUE HORIZON	9103102728
4.50	2.50	ANODISED	GREY HORIZON	9103102732
4.50	2.50	ANODISED	BLUE HORIZON	9103102733
4.50	2.50	ANTHRACITE	GREY HORIZON	9103102737
4.50	2.50	ANTHRACITE	BLUE HORIZON	9103102738
5.00	2.50	WHITE	GREY HORIZON	9103102757
5.00	2.50	WHITE	BLUE HORIZON	9103102758
5.00	2.50	ANODISED	GREY HORIZON	9103102762
5.00	2.50	ANODISED	BLUE HORIZON	9103102763
5.00	2.50	ANTHRACITE	GREY HORIZON	9103102767
5.00	2.50	ANTHRACITE	BLUE HORIZON	9103102768
5.50	2.50	WHITE	GREY HORIZON	9103102787
5.50	2.50	WHITE	BLUE HORIZON	9103102788
5.50	2.50	ANODISED	GREY HORIZON	9103102792
5.50	2.50	ANODISED	BLUE HORIZON	9103102793
5.50	2.50	ANTHRACITE	GREY HORIZON	9103102797
5.50	2.50	ANTHRACITE	BLUE HORIZON	9103102798

DOMETIC PERFECTROOF PR 2500 12 V AWNING

WIDTH (M)	EXTENSION (M)	HOUSING COLOR	FABRIC COLOR	REF.NO.
3.50	2.50	WHITE	GREY HORIZON	9103102802
3.50	2.50	WHITE	BLUE HORIZON	9103102803
3.50	2.50	ANODISED	GREY HORIZON	9103102807
3.50	2.50	ANODISED	BLUE HORIZON	9103102808
3.50	2.50	ANTHRACITE	GREY HORIZON	9103102812
3.50	2.50	ANTHRACITE	BLUE HORIZON	9103102813
3.50	2.75	WHITE	GREY HORIZON	9103102817
3.50	2.75	WHITE	BLUE HORIZON	9103102818
3.50	2.75	ANODISED	GREY HORIZON	9103102822
3.50	2.75	ANODISED	BLUE HORIZON	9103102823
3.50	2.75	ANTHRACITE	GREY HORIZON	9103102827
3.50	2.75	ANTHRACITE	BLUE HORIZON	9103102828
3.75	2.50	WHITE	GREY HORIZON	9103102832
3.75	2.50	WHITE	BLUE HORIZON	9103102833
3.75	2.50	ANODISED	GREY HORIZON	9103102837
3.75	2.50	ANODISED	BLUE HORIZON	9103102838
3.75	2.50	ANTHRACITE	GREY HORIZON	9103102842
3.75	2.50	ANTHRACITE	BLUE HORIZON	9103102843
3.75	2.75	WHITE	GREY HORIZON	9103102847
3.75	2.75	WHITE	BLUE HORIZON	9103102848
3.75	2.75	ANODISED	GREY HORIZON	9103102852
3.75	2.75	ANODISED	BLUE HORIZON	9103102853
3.75	2.75	ANTHRACITE	GREY HORIZON	9103102857
3.75	2.75	ANTHRACITE	BLUE HORIZON	9103102858
4.00	2.50	WHITE	GREY HORIZON	9103102862
4.00	2.50	WHITE	BLUE HORIZON	9103102863
4.00	2.50	ANODISED	GREY HORIZON	9103102867
4.00	2.50	ANODISED	BLUE HORIZON	9103102868
4.00	2.50	ANTHRACITE	GREY HORIZON	9103102872
4.00	2.50	ANTHRACITE	BLUE HORIZON	9103102873
4.00	2.75	WHITE	GREY HORIZON	9103102877
4.00	2.75	WHITE	BLUE HORIZON	9103102878
4.00	2.75	ANODISED	GREY HORIZON	9103102882
4.00	2.75	ANODISED	BLUE HORIZON	9103102883
4.00	2.75	ANTHRACITE	GREY HORIZON	9103102887
4.00	2.75	ANTHRACITE	BLUE HORIZON	9103102888
4.50	2.50	WHITE	GREY HORIZON	9103102892
4.50	2.50	WHITE	BLUE HORIZON	9103102893
4.50	2.50	ANODISED	GREY HORIZON	9103102897
4.50	2.50	ANODISED	BLUE HORIZON	9103102898
4.50	2.50	ANTHRACITE	GREY HORIZON	9103102902
4.50	2.50	ANTHRACITE	BLUE HORIZON	9103102903
4.50	2.75	WHITE	GREY HORIZON	9103102907
4.50	2.75	WHITE	BLUE HORIZON	9103102908
4.50	2.75	ANODISED	GREY HORIZON	9103102912
4.50	2.75	ANODISED	BLUE HORIZON	9103102913
4.50	2.75	ANTHRACITE	GREY HORIZON	9103102917
4.50	2.75	ANTHRACITE	BLUE HORIZON	9103102918
5.00	2.50	WHITE	GREY HORIZON	9103102922
5.00	2.50	WHITE	BLUE HORIZON	9103102923
5.00	2.50	ANODISED	GREY HORIZON	9103102927
5.00	2.50	ANODISED	BLUE HORIZON	9103102928
5.00	2.50	ANTHRACITE	GREY HORIZON	9103102932
5.00	2.50	ANTHRACITE	BLUE HORIZON	9103102933
5.00	2.75	WHITE	GREY HORIZON	9103102937
5.00	2.75	WHITE	BLUE HORIZON	9103102938
5.00	2.75	ANODISED	GREY HORIZON	9103102942

5.00	2.75	ANODISED	BLUE HORIZON	9103102943
5.00	2.75	ANTHRACITE	GREY HORIZON	9103102947
5.00	2.75	ANTHRACITE	BLUE HORIZON	9103102948
5.50	2.50	WHITE	GREY HORIZON	9103102952
5.50	2.50	WHITE	BLUE HORIZON	9103102953
5.50	2.50	ANODISED	GREY HORIZON	9103102957
5.50	2.50	ANODISED	BLUE HORIZON	9103102958
5.50	2.50	ANTHRACITE	GREY HORIZON	9103102962
5.50	2.50	ANTHRACITE	BLUE HORIZON	9103102963
5.50	2.75	WHITE	GREY HORIZON	9103102967
5.50	2.75	WHITE	BLUE HORIZON	9103102968
5.50	2.75	ANODISED	GREY HORIZON	9103102972
5.50	2.75	ANODISED	BLUE HORIZON	9103102973
5.50	2.75	ANTHRACITE	GREY HORIZON	9103102977
5.50	2.75	ANTHRACITE	BLUE HORIZON	9103102978
6.00	2.50	WHITE	GREY HORIZON	9103102982
6.00	2.50	WHITE	BLUE HORIZON	9103102983
6.00	2.50	ANODISED	GREY HORIZON	9103102987
6.00	2.50	ANODISED	BLUE HORIZON	9103102988
6.00	2.50	ANTHRACITE	GREY HORIZON	9103102992
6.00	2.50	ANTHRACITE	BLUE HORIZON	9103102993
6.00	2.75	WHITE	GREY HORIZON	9103102997
6.00	2.75	WHITE	BLUE HORIZON	9103102998
6.00	2.75	ANODISED	GREY HORIZON	9103103002
6.00	2.75	ANODISED	BLUE HORIZON	9103103003
6.00	2.75	ANTHRACITE	GREY HORIZON	9103103007
6.00	2.75	ANTHRACITE	BLUE HORIZON	9103103008

PW 1100 KIT VW T5 / T6


Complete awning assembly kit for VW T5 / T6 Multivan

Scope of delivery

- PW 1100 awning
- VW T5/T6 Multivan adapter
- Small foldable crank



LENGTH (M)	EXTENSION (M)	HOUSING COLOUR	FABRIC COLOUR	REF. NO.
2.60	2.00	ANTHRACITE	GREY HORIZON	9103104282
2.60	2.00	WHITE	GREY HORIZON	9103104281



AVAILABLE ACCESSORIES

CAMPROOM FRONT	CAMPROOM SIDES
9103103923	9103103933
SUNPROTECT FRONT	SUNPROTECT SIDES
9103103941	9103104357
RAINPROTECT FRONT	RAINPROTECT DELUXE SIDES
9103103954	9103104358
TIE DOWN KIT	
9103104000	



PW 1100 KIT CITROËN JUMPY / CITROËN CAMPSTER / PEUGEOT EXPERT / TOYOTA PROACE


Complete awning assembly kit

Scope of delivery

- 2.6 m PW 1100 awning
- Vehicle specific adapter
- Short crank handle



LENGTH (M)	EXTENSION (M)	HOUSING COLOUR	FABRIC COLOUR	DRIVER SIDE	REF. NO.
2.60	2.00	ANTHRACITE	GREY HORIZON	LHS	9103104296
2.60	2.00	ANTHRACITE	GREY HORIZON	RHS	9103104297



Kit will fit, the following vehicles with or without Pop up roofs

- Toyota Proace
- Citroën Jumpy
- Citroën SpaceTourer
- Citroën Dispatch (UK)
- Peugeot Expert
- Opel / Vauxhall Vivaro (from 2019)

AVAILABLE ACCESSORIES

CAMPROOM FRONT	CAMPROOM SIDES
9103103923	9103103933
SUNPROTECT FRONT	SUNPROTECT SIDES
9103103941	9103104357
RAINPROTECT FRONT	RAINPROTECT DELUXE SIDES
9103103954	9103104358
TIE DOWN KIT	
9103104000	



PW 1100 KIT VAUXHALL OPEL VIVARO / RENAULT TRAFIC / FIAT TALENTO & NISSAN NV300


Complete awning assembly kit

Scope of delivery

- 2.6m PW 1100 awning
- Vehicle specific adapter
- Short crank handle



LENGTH (M)	EXTENSION (M)	HOUSING COLOUR	FABRIC COLOUR	REF. NO.
2.60	2.00	ANTHRACITE	GREY HORIZON	9103104305



AVAILABLE ACCESSORIES

CAMPROOM FRONT	CAMPROOM SIDES
9103103923	9103103933
SUNPROTECT FRONT	SUNPROTECT SIDES
9103103941	9103104357
RAINPROTECT FRONT	RAINPROTECT DELUXE SIDES
9103103954	9103104358
TIE DOWN KIT	
9103104000	



PW 1100 KIT FORD TRANSIT CUSTOM


Complete awning assembly kit

Scope of delivery

- 2.6m PW 1100 awning
- Vehicle specific adapter
- Short crank handle



LENGTH (M)	EXTENSION (M)	HOUSING COLOUR	FABRIC COLOUR	REF. NO.
2.60	2.00	ANTHRACITE	GREY HORIZON	9103104171



AVAILABLE ACCESSORIES

CAMPROOM FRONT	CAMPROOM SIDES
9103103923	9103103933
SUNPROTECT FRONT	SUNPROTECT SIDES
9103103941	9103104357
RAINPROTECT FRONT	RAINPROTECT DELUXE SIDES
9103103954	9103104358
TIE DOWN KIT	
9103104000	



PW 1100 KIT FIAT DUCATO / PEUGEOT BOXER & CITROËN JUMPER WITH H3 ROOF


Complete awning assembly kit

Scope of delivery

- PW 1100 awning
- Vehicle specific adapter
- Telescopic crank handle



LENGTH (M)	EXTENSION (M)	HOUSING COLOUR	FABRIC COLOUR	REF. NO.
3.50	2.50	ANTHRACITE	GREY HORIZON	9103104306
4.00	2.50	ANTHRACITE	GREY HORIZON	9104104307



AVAILABLE ACCESSORIES

SIZE	CAMPROOM FRONT	CAMPROOM SIDES
3.50 m	9103103926	9103103937
4.00 m	9103103928	9103103937

SIZE	SUNPROTECT FRONT	SUNPROTECT SIDES
3.50 m	9103103943	9103103952
4.00 m	9103103945	9103103952

SIZE	RAINPROTECT FRONT	RAINPROTECT DELUXE SIDES
3.50 m	9103103956	9103103969
4.00 m	9103103958	9103103969

TIE DOWN KIT	
	9103104000

PW 1100 KIT FIAT DUCATO / PEUGEOT BOXER & CITROËN JUMPER WITH FOLDABLE ROOF


Complete awning assembly kit

Scope of delivery

- PW 1100 awning
- Vehicle specific adapter
- Telescopic crank handle



LENGTH (M)	EXTENSION (M)	HOUSING COLOUR	FABRIC COLOUR	REF. NO.
3.00	2.50	ANTHRACITE	GREY HORIZON	9103104308
3.50	2.50	ANTHRACITE	GREY HORIZON	9103104309
4.00	2.50	ANTHRACITE	GREY HORIZON	9103104310
4.50	2.50	ANTHRACITE	GREY HORIZON	9103104311



AVAILABLE ACCESSORIES

SIZE	CAMPROOM FRONT	CAMPROOM SIDES
3.00 m	9103103924	9103103937
3.50 m	9103103926	9103103937
4.00 m	9103103928	9103103937

SIZE	SUNPROTECT FRONT	SUNPROTECT SIDES
3.00 m	9103103942	9103103951
3.50 m	9103103943	9103103951
4.00 m	9103103945	9103103951

SIZE	RAINPROTECT FRONT	RAINPROTECT DELUXE SIDES
3.00 m	9103103956	9103103969
3.50 m	9103103958	9103103969
4.00 m		

TIE DOWN KIT	
	9103104000

PW 1100 KIT IVECO DAILY H2


Complete awning assembly kit

Scope of delivery

- PW 1100 awning
- Vehicle specific adapter
- Telescopic crank handle



LENGTH (M)	EXTENSION (M)	HOUSING COLOUR	FABRIC COLOUR	REF. NO.
3.00	2.50	ANTHRACITE	GREY HORIZON	9103104308
3.50	2.50	ANTHRACITE	GREY HORIZON	9103104309
4.00	2.50	ANTHRACITE	GREY HORIZON	9103104310
4.50	2.50	ANTHRACITE	GREY HORIZON	9103104311



AVAILABLE ACCESSORIES

SIZE	CAMPROOM FRONT	CAMPROOM SIDES
3.00 m	9103103924	9103103937
3.50 m	9103103926	9103103937
4.50 m	9103103929	9103103937
5.00 m	9103103930	9103103937

SIZE	SUNPROTECT FRONT	SUNPROTECT SIDES
3.00 m	9103103942	9103103952
3.50 m	9103103943	9103103952
4.50 m	9103103946	9103103952
5.00 m	9103103947	9103103952

SIZE	RAINPROTECT FRONT	RAINPROTECT DELUXE SIDES
3.00 m	9103103955	9103103969
3.50 m	9103103956	9103103969
4.50 m	9103103959	9103103969
5.00 m	9103103960	9103103969

TIE DOWN KIT	
	9103104000

PR 2000 KIT DUCATO


Complete awning assembly kit for Fiat, Citroën and Peugeot panel vans

Scope of delivery

- PR 2000 awning
- Telescopic crank
- Ducato H2 adapter in 3 pieces
- Foam sealing strip (2 x 1.5 m)



LENGTH (M)	EXTENSION (M)	HOUSING COLOUR	FABRIC COLOUR	REF. NO.
3.25	2.50	ANODISED	GREY HORIZON	9103104097
3.25	2.50	ANTHRACITE	GREY HORIZON	9103104096
3.25	2.50	WHITE	GREY HORIZON	9103104099
3.50	2.50	ANTHRACITE	GREY HORIZON	9103104188
3.50	2.50	WHITE	GREY HORIZON	9103104186
3.50	2.50	ANODISED	GREY HORIZON	9103104187
3.75	2.50	ANTHRACITE	GREY HORIZON	9103104098
3.75	2.50	WHITE	GREY HORIZON	9103104100
3.75	2.50	ANODISED	GREY HORIZON	9103104128
4.00	2.50	ANTHRACITE	GREY HORIZON	9103104102
4.00	2.50	WHITE	GREY HORIZON	9103104104
4.00	2.50	ANODISED	GREY HORIZON	9103104129



AVAILABLE ACCESSORIES

SIZE	CAMPROOM FRONT	CAMPROOM SIDES
3.25 m	9103103925	9103103940
3.75 m	9103103927	9103103940
4.00 m	9103103928	9103103940

SIZE	SUNPROTECT FRONT	SUNPROTECT SIDES
3.25 m	9103103942	9103103951
3.75 m	9103103944	9103103951
4.00 m	9103103945	9103103951

SIZE	RAINPROTECT FRONT	RAINPROTECT DELUXE SIDES
3.25 m	9103103955	9103103968
3.75 m	9103103957	9103103968
4.00 m	9103103958	9103103968

TIE DOWN KIT	
	9103104000

PR 2000 KIT RENAUT MASTER / NISSAN NV400 & VAUXHALL OPEL MOVANO


Complete awning assembly kit

Scope of delivery

- PR 2000 awning
- Vehicle specific adapter
- Telescopic crank handle
- Foam sealing strip 2x 1.5m



LENGTH (M)	EXTENSION (M)	HOUSING COLOUR	FABRIC COLOUR	REF. NO.
2.60	2.00	ANTHRACITE	GREY HORIZON	9103104313
3.25	2.50	ANTHRACITE	GREY HORIZON	9103104314
3.75	2.50	ANTHRACITE	GREY HORIZON	9103104315
4.50	2.50	ANTHRACITE	GREY HORIZON	9103104316



AVAILABLE ACCESSORIES

SIZE	CAMPROOM FRONT	CAMPROOM SIDES
2.60 m	9103103923	9103103940
3.25 m	9103103924	9103103940
3.75 m	9103103928	9103103940
4.50 m	9103103929	9103103940

SIZE	SUNPROTECT FRONT	SUNPROTECT SIDES
2.60 m	9103103941	9103103951
3.25 m	9103103942	9103103951
3.75 m	9103103945	9103103951
4.50 m	9103103946	9103103951

SIZE	RAINPROTECT FRONT	RAINPROTECT DELUXE SIDES
2.60 m	9103103954	9103103968
3.25 m	9103103955	9103103968
3.75 m	9103103958	9103103968
4.50 m	9103103959	9103103968

TIE DOWN KIT	
	9103104000

PR 2000 KIT VW CRAFTER & MAN TGE


Complete awning assembly kit

Scope of delivery

- PR 2000 awning
- Vehicle specific adapter
- Telescopic crank handle
- Foam sealing strip 2x 1.5m



LENGTH (M)	EXTENSION (M)	HOUSING COLOUR	FABRIC COLOUR	REF. NO.
3.25	2.50	ANTHRACITE	GREY HORIZON	9103104317
3.75	2.50	ANTHRACITE	GREY HORIZON	9103104318
4.00	2.50	ANTHRACITE	GREY HORIZON	9103104319



AVAILABLE ACCESSORIES

SIZE	CAMPROOM FRONT	CAMPROOM SIDES
3.00 m	9103103924	9103103940
4.00 m	9103103928	9103103940
4.50 m	9103103929	9103103940

SIZE	SUNPROTECT FRONT	SUNPROTECT SIDES
3.00 m	9103103942	9103103952
4.00 m	9103103945	9103103952
4.50 m	9103103946	9103103952

SIZE	RAINPROTECT FRONT	RAINPROTECT DELUXE SIDES
3.00 m	9103103955	9103103969
4.00 m	9103103958	9103103969
4.50 m	9103103959	9103103969

TIE DOWN KIT	
	9103104000

PR 2000 KIT MERCEDES SPRINTER H2


Complete awning assembly kit

Scope of delivery

- PR 2000 awning
- Vehicle specific adapter
- Telescopic crank handle
- Foam sealing strip 2x 1,5m



LENGTH (M)	EXTENSION (M)	HOUSING COLOUR	FABRIC COLOUR	REF. NO.
3.25	2.50	ANTHRACITE	GREY HORIZON	9103104320
3.75	2.50	ANTHRACITE	GREY HORIZON	9103104321
4.00	2.50	ANTHRACITE	GREY HORIZON	9103104322



AVAILABLE ACCESSORIES

SIZE	CAMPROOM FRONT	CAMPROOM SIDES
2.60 m	9103103923	9103103940
3.25 m	9103103924	9103103940
3.75 m	9103103928	9103103940
4.50 m	9103103929	9103103940

SIZE	SUNPROTECT FRONT	SUNPROTECT SIDES
2.60 m	9103103941	9103103952
3.25 m	9103103942	9103103952
3.75 m	9103103945	9103103952
4.50 m	9103103946	9103103952

SIZE	RAINPROTECT FRONT	RAINPROTECT DELUXE SIDES
2.60 m	9103103954	9103103969
3.25 m	9103103955	9103103969
3.75 m	9103103958	9103103969
4.50 m	9103103959	9103103969

TIE DOWN KIT	
	9103104000

AWNING ADAPTERS IN ALPHABETICAL ORDER


VEHICLE NAME	ADAPTER NO.	VEHICLE NAME	ADAPTER NO.	VEHICLE NAME	ADAPTER NO.
ADRIA CORAL	3	FONT VENDOME H3	15	MOBILVETTA	1
ADRIA CORAL (S690 SP)	7	FORD NUGGET HIGH ROOF	15	MOBILVETTA NAZCA	17
ADRIA SHX	15	FORD NUGGET WESTFALIA HIGH ROOF	15	MOOVEO SERIES C	1
ARCA H SERIES	1	FORD TRANSIT CUSTOM > 2012	31	MOOVEO SERIES I	1
ARCA M & P SERIES	10	FORD TRANSIT H3	15	MOOVEO SERIES P	1
AUTOSLEEPER VANS	15	FORD TRANSIT HIGH MODEL	15	MORELLO	1
BAILEY ROUND	30	FORD TRANSIT TOURNEO CONNECT >2012	31	NIESMANN BISCHOF	16
BAILEY SQAURE	5	FRANKIA COMFORT	1	NIESMANN BISCHOF MOTORHOME	16
BAVARIA BALTIC	7	FRANKIA HOLIDAY	1	NISSAN INTERSTAR	22
BAVARIA FJORD	7	FRANKIA LUXURY	1	NISSAN NV300 >2016	27
BENIMAR TESSORO	16	FRANKIA PREMIUM	1	OPEL / VAUXHALL MOVANO > 2011	20
BÜRSTNER AVIANO	12	GIOTTILINE	23	OPEL / VAUXHALL VIVARO B	27
BÜRSTNER ELEGANCE	12	GIOTTILINE PANEL VAN	23	OPEL MOVANO < 2011	22
BÜRSTNER IXEO	3	GIOTTILINE THERRY	1	OPEL ZAFIRA > 2019	37
BÜRSTNER NEXXO	3	GLOBECAR GLOBESTAR 600 L	18	PEUGEOT BOXER H2	18
BÜRSTNER ROUND	12	GLOBECAR CAMPSCOUT	2	PEUGEOT BOXER H2 FOLDABLE ROOF	36
BÜRSTNER SOLANO	3	GLOBECAR CAMPSCOUT B	18	PEUGEOT BOXER H3	15
BÜRSTNER SQUARE	7	GLOBECAR CAMPSCOUT LIMITED	18	PEUGEOT EXPERT >2016	37
CAMPÉRÈVE LINDBERGH	20	GLOBECAR CAMPSCOUT PLUS	18	PILOTE EXPLORATEUR	7
CAMPÉRÈVE NEOVAN	1	GLOBECAR GLOBESCOOUT R	18	POSSL ROADCAMP WITH ROOF RAIL	14
CARADO T SERIES	9	GLOBECAR GLOBESTAR 600 L REVOLUTION	18	RAPIDO 10	3
CARAVAN ADAPTER	20	GLOBECAR GLOBESCOOUT PLUS	18	RAPIDO 7, 8 and 9 models	6
CARAVAN RAIL	13	GLOBECAR GLOBESCOOUT LIMITED	18	RAPIDO DISTINCTION	28
CARTHAGO HIGH LINER	39	GLOBECAR GLOBESTAR 600 W	18	RENAULT MASTER < 2011	22
CARTHAGO C	39	GLOBECAR GLOBESTAR 640 DK	18	RENAULT MASTER > 2011	20
CARTHAGO CHIC	39	GLOBECAR ROADSCOUT	18	RENAULT TRAFFIC > 2014	27
CARTHAGO CHIC <2018	17	GLOBECAR ROADSCOUT R	18	RIMOR	1
CARTHAGO CHIC >2018	39	GLOBECAR ROADSCOUT WITH ROOF RAIL	14	ROLLER TEAM GRANDUC	1
CHALLENGER EDEN	10	GLOBECAR SUMMIT 600	18	ROLLER TEAM MAGNIFIC	1
CHALLENGER GENESIS	3	GLOBECAR SUMMIT 600 PLUS	18	ROLLER TEAM PO	1
CHALLENGER PRIUM	1	GLOBECAR SUMMIT 640	18	ROLLER TEAM T-LINE	1
CHALLENGER SIRIUS	1	HOBBY	7	SUNLIGHT	1
CHAUSSON ALLEGRO	10	HOBBY CARAVAN > 2014	33	TEC CARAVAN <2014	23
CHAUSSON EXALTIS	1	HOBBY MOTORHOME	7	TOYOTA PROACE	37
CHAUSSON FLASH	1	HOBBY VAN	3	UNIVERSAL ROOF ADAPTER	24
CHAUSSON WELCOME	1	HYMER B2	4	UNIVERSAL ROOF ADAPTER	24
CI ELLIOT	1	HYMER CAMP	3	VW CRAFTER < 2017	21
CI MIZAR	1	HYMER EXSIS < 2007	3	VW CRAFTER > 2017	34
CI RIVIERA	1	HYMER EXSIS > 2007	4	VW CRAFTER H3 >2017	34
CI SINFONIA	1	HYMER S	16	VW T5 / T6 CALIFORNIA	25
CI X-TIL	1	HYMER STARLINE	3	VW T5 / T6 MULTIVAN	29
CITROEN CAMPSTER	37	HYMER SX	16		
CITROËN JUMPER	18	HYMER T CLASS	4		
CITROEN JUMPER H2	18	HYMER T654 CL 2X2	3		
CITROEN JUMPER H2 FOLDABLE ROOF	36	HYMER TRAMP	3		
CITROEN JUMPER H2 FOLDABLE ROOF	36	HYMER VAN	4		
CITROEN JUMPER H3	15	HYMERMOBIL B CLASS	3		
CITROEN JUMPY >2016	37	HYMERMOBIL S CLASS	3		
CONCORDE	1	ITINEO	1		
DETHLEFFS ADVANTAGE	1	IVECO DAILY < 2011	22		
DETHLEFFS ESPRIT	1	KAMPA BAG AWNINGS	13		
DETHLEFFS GLOBE 4 & 5	9	KARMANN	10		
DETHLEFFS GLOBETROTTER	1	KENTUCKY	1		
DETHLEFFS GLOBUS	9	KNAUS	1		
DETHLEFFS MAGIC EDITION	1	KNAUS C LINER	8		
DUCATO H2	18	LAIKA ECOVIP 1	5		
ELNAGH KING	1	LAIKA ECOVIP 7	11		
ELNAGH MAGNUM	1	LAIKA KREOS 5	17		
ERIBA TOURING 2011	4	LAIKA KREOS 9	11		
ERIBA TOURING ROOF TOP	16	LAIKA REXOSLINE	11		
ESTEREL	19	LE VOYAGEUR	15		
EURA MOBIL	2	LE VOYAGEUR PLATINUM	7		
EURA MOBIL INTEGRA 670	10	LE VOYAGEUR PLATINUM	7		
EURA MOBIL INTEGRA STYLE	16	LMC LIBERTY < 2014	23		
FENDT	23	LUXE CARAVAN RAIL	13		
FIAT DUCATO H2	18	MAN TGE HIGH ROOF	34		
FIAT DUCATO H2 FOLDABLE ROOF	36	MC LOUIS GLAMYS	1		
FIAT DUCATO H2 ROOFRAIL	14	MC LOUIS LAGAN	3		
FIAT DUCATO H3	15	MC LOUIS MC2 & MC4	1		
FIAT TALENTO	27	MC LOUIS NEVIS	1		
FLORIUM BAXTER	35	MC LOUIS STEEL	3		
FLORIUM MAYFLOWER	35	MC LOUIS TANDY	1		
FLORIUM WINCHESTER	10	MERCEDES SPRINTER	21		
FLUERETTE DISCOVER	35	MILLER MICHIGAN	7		
FLUERETTE MAGISTER	35				

ADAPTER FOR WALL AWNINGS PW 1100, PW 1500, PW 3800



STANDARD FLAT		EURA MOBIL		HYMER CAMP		HYMER VAN B2	
AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.
3 m	9103103804	3 m	9103103813	3 m	9103103819	3 m	9103103826
3.5 m	9103103805	3.5 m	9103103814	3.5 m	9103103820	3.5 m	9103103827
4 m	9103103806	4 m	9103103815	4 m	9103103821	4 m	9103103828
4.5 m	9103103807	4.5 m	9103103816	4.5 m	9103103822	4.5 m	9103103829
5 m	9103103808	5 m	9103103817	5 m	9103103823	5 m	9103103830
5.5 m	9103103809	5.5 m	9103103818	5.5 m	9103103824	5.5 m	9103103831
6 m	9103103810			4 pcs	9103103825		
5 x 0.4 m	9103103811						
5 x 0.75m	9103103812						
CAMPÉRÈVE NEOVAN CHALLENGER PRIUM CHALLENGER SIRIUS CHAUSSON EXALTIS CHAUSSON FLASH CHAUSSON WELCOME CI ELLIOT CI MIZAR CI RIVIERA CI SINFONIA CI X-TIL CONCORDE DETHLEFFS ADVANTAGE DETHLEFFS ESPRIT DETHLEFFS GLOBETROTTER DETHLEFFS MAGIC EDITION ELNAGH KING ELNAGH MAGNUM FRANKIA COMFORT FRANKIA HOLIDAY FRANKIA LUXURY FRANKIA PREMIUM GIOTTLINE THERRY ITINEO KENTUCKY KNAUS MC LOUIS GLAMYS MC LOUIS MC2 & MC4 MC LOUIS NEVIS MC LOUIS TANDY MOBILVETTA MOOVEO SERIES C MOOVEO SERIES I MOOVEO SERIES P MORELLO RIMOR ROLLER TEAM GRANDUC ROLLER TEAM MAGNIFIC ROLLER TEAM PO ROLLER TEAM T-LINE SUNLIGHT		EURA MOBIL GLOBECAR CAMPSCOUT GLOBECAR FAMILYSCOUT GLOBECAR GLOBESCOUT PÖSSL 2 WIN STYLE PÖSSL FOR 6		ADRIA CORAL BÜRSTNER IXEO BÜRSTNER NEXXO BÜRSTNER SOLANO CHALLENGER GENESIS HOBBY VAN HYMER CAMP HYMER EXSIS < 2007 HYMER STARLINE HYMER T654 CL 2X2 HYMER TRAMP HYMERMOBIL B CLASS HYMERMOBIL S CLASS MC LOUIS LAGAN MC LOUIS STEEL MC LOUIS TANDY RAPIDO 10		ERIBA TOURING 2011 HYMER B2 HYMER EXSIS > 2007 HYMER T CLASS HYMER VAN	

ADAPTER FOR WALL AWNINGS PW 1100, PW 1500, PW 3800




LAIKA ECOVIP 1		RAPIDO 7+8+9		BÜRSTNER + HOBBY SQUARE		KNAUS C-LINER	
AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.
4 m	9103103832	3 m	9103103834	3 m	9103103839	3 m	9103103844
4.5 m	9103103833	3.5 m	9103103835	3.5 m	9103103840	5.5 m	9103103845
		4 m	9103103836	4 m	9103103841		
		3 pcs	9103103837	4.5 m	9103103842		
		4 pcs	9103103838	4 pcs	9103103843		
BAILEY ECOVIP 1 LAIKA ECOVIP 1		RAPIDO 7, 8 and 9 models		ADRIA S690 SP BAVARIA BALTIC BAVARIA FJORD BÜRSTNER SQUARE HOBBY MOTORHOME LE VOYAGEUR PLATINUM MILLER MICHIGAN PILOTE EXPLORATEUR		KNAUS C-LINER	

ADAPTER FOR WALL AWNINGS PW 1100, PW 1500, PW 3800




DETHLEFFS GLOBEBUS		CHAUSSON ARCA		LAIKA REXOSLINE		BÜRSTNER RND	
AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.
3 m	9103103846	3 m	9103103852	4 m	9103103855	3 m	9103103859
3.5 m	9103103847	3.5 m	9103103853	4.5 m	9103103856	3.5 m	9103103860
4 m	9103103848	4 m	9103103854	5 m	9103103857	4 m	9103103861
4.5 m	9103103849			3 pcs	9103103858	4.5 m	9103103862
5 m	9103103850					5 m	9103103863
						5.5 m	9103103864
						6 m	9103103865
						4 pcs	9103103866
CARADO T SERIES DETHLEFFS GLOBE 4 & 5 DETHLEFFS GLOBUS		ARCA M SERIES CHALLENGER EDEN CHAUSSON ALLEGRO EURA MOBIL INTEGRA 670 FLORIUM MAYFLOWER FLORIUM WINCHESTER KARMANN		LAIKA ECOVIP 7 LAIKA KREOS 9 LAIKA REXOSLINE		BÜRSTNER AVIANO BÜRSTNER ELEGANCE BÜRSTNER ROUND	

ADAPTER FOR WALL AWNINGS PW 1100, PW 1500, PW 3800




LUXE CARAVAN RAIL		DUCATO H2 ROOFRAIL		DUCATO H3 + LE VOYAGEUR		VW CALIFORNIA	
AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.
10 x 6 m	9103103867	3 pcs	9103103868	3 m	9103103869	2 pcs	9103104020
				3.5 m	9103103870	5 m	9103103878
				4 m	9103103871	5.5 m	9103103879
				4.5 m	9103103872	6 m	9103103880
				5 m	9103103873		
				5.5 m	9103103874		
				4 pcs	9103103875		
BAG AWNINGS CARAVAN RAIL		FIAT DUCATO H2 ROOFRAIL GLOBECAR CAMPSCOUT GLOBECAR FAMILYSCOUT GLOBECAR GLOBESCOUT PÖSSL 2 WIN STYLE PÖSSL FOR 6		ADRIA SHX AUTOSLEEPER VANS FIAT DUCATO H3 FONT VENDOME H3 FORD NUGGET HIGH ROOF FORD TRANSIT HIGH MODEL LE VOYAGEUR		VW T5 - T6 CALIFORNIA	

ADAPTER FOR WALL AWNINGS PW 1100, PW 1500, PW 3800



VIVARO+TRAFIC+TALENTO+NV300		VW T5/T6 MULTIVAN		FORD TRANSIT CUSTOM + TOURNEO 2013		ADAPTER PR-HOBBY CARAVAN 2014	
AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.
2 pcs	9103104103	2 pcs	9103104118	2 pcs	9103104172	3 pcs	9103104203
FIAT TALENTO NISSAN NV300 OPEL / VAUXHALL VIVARO < 2018 OPEL MOVANO > 2012 RENAULT TRAFFIC > 2017		VW T5 / T5 MULTIVAN		FORD TRANSIT		HOBBY CARAVAN	

ADAPTER FOR WALL AWNINGS PW 1100, PW 1500, PW 3800



FLEURETTE+FLORIUM		DUCATO H2 FOLDABLE ROOF		JUMPY EXPERT PROACE		HYMER SX	
AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.
3 m	9103104256	3.5 m	9103104262	2 pcs LHT	9103104011	4 m	9103103876
3.5 m	9103104257	2 pcs	9103104263	2 pcs RHT	9103104012	4.5 m	9103103877
4 m	9103104258					5 m	9103103878
4.5 m	9103104259					5.5 m	9103103879
5 m	9103104260					6 m	9103103880
5.5 m	9103104261						
FLORIUM FLEURETTE		DUCATO FOLDABLE ROOF		CITROËN JUMPY FOLDABLE ROOF PEUGEOT EXPERT >2016 TOYOTA PROACE		BENIMAR TESSORO ERIBA TOURING ROOF TOP EURA MOBIL INTEGRA STYLE HYMER S HYMER SX NIESMANN BISCHOF MOTORHOME	

ADAPTER FOR ROOF AWNINGS PR 2000, PR 2500




LAIKA KREOS 05		DUCATO+JUMPER+BOXER 1P		ESTEREL		CARAV+MASTER >11	
AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.
4 m	9103103881	3.25 m	9103103887	3.5 m	9103103891	3 m	9103103893
4.5 m	9103103882	3.75 m	9103103888	4 m	9103103892	3.25 m	9103104010
5 m	9103103883	4 m	9103103889			3.5 m	9103103894
5.5 m	9103103884	3 pcs	9103103890			3.75 m	9103103895
6 m	9103103885					4 m	9103103896
3 pcs	9103103886					4.5 m	9103103897
						5 m	9103103898
						5.5 m	9103103899
						6 m	9103103900
						3 pcs	9103103901
CARTHAGO CHIC <2018 LAIKA KREOS 5 MOBILVETTA NAZCA		CITROËN JUMPER 1 PIECE FIAT DUCATO H2 PEUGEOT BOXER H2 1 PIECE		ESTEREL		CAMPÉRÈVE LINDBERGH CARAVAN ADAPTER	

ADAPTER FOR ROOF AWNINGS PR 2000, PR 2500



SPRINTER + CRAFTER PRE 2017		MASTER + MOVANO <2011		LMC +TEC		RAPIDO DISTINCTION	
AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.
2.65 m	9103103902	3 m	9103103909	3 m	9103103914	5 m	9103104115
3 m	9103103903	3.5 m	9103103910	3.5 m	9103103915	5.5 m	9103104116
3.5 m	9103103904	3.75 m	9103103911	3.75 m	9103103916		
3.75 m	9103103905	4 m	9103103912	4 m	9103103917		
4 m	9103103906	4.5 m	9103103913	4.5 m	9103103918		
4.5 m	9103103907	5 m	9103104173	5 m	9103103919		
3 pcs	9103103908			5.5 m	9103103920		
				6 m	9103103921		
				3 pcs	9103103922		
MERCEDES SPRINTER VW CRAFTER 2006 - 2017		IVECO DAILY < 2011 NISSAN INTERSTAR OPEL MOVANO < 2011 RENAULT MASTER < 2011		FENDT GIOTLINE PANEL VAN TEC CARAVAN		RAPIDO DISTINCTION	

ADAPTER FOR ROOF AWNINGS PR 2000, PR 2500




ADAPTER PR-HOBBY CARAVAN 2014		VOLKSWAGEN CRAFTER 2017		CARTHAGO CHIC	
AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.	AWNING LENGTH	REF. NO.
3 pcs	9103104203	2 pcs RHT	9103104206	4 m	9103104292
		2 pcs LHT	9103104250	4.5 m	9103104293
				5 m	9103104294
				5.5 m	9103104295
HOBBY CARAVAN		VW CRAFTER >2017		CARTHAGO C CARTHAGO CHIC CARTHAGO HIGH LINER	

AN EXTRA ROOM IN FRONT OF THE VEHICLE

HOW YOU CREATE ADDITIONAL "LIVING SPACE"

DOMETIC CAMP ROOM

Awning tent



Quality features

- Stay warm and dry, whatever the weather with this additional water- and windproof roofed tented area.
- Quick and easy: Can be set up by one person in under 20 minutes.
- Zip-up closures transform your awning into a tent.
- Scratch-proof seal to keep the rain out
- Attaching the standard supplied skirts creates an additional sleeping space
- All windows come with mosquito screens, roll-up PVC windows and curtains

Product	Ref. No.	Product	Ref. No.
CampRoom sides PW – Small	9103103934	CampRoom front – 2,6 m	9103103923
CampRoom sides PW – Small – Ex 2 m	9103103933	CampRoom front – 3 m	9103103924
CampRoom sides PW – Medium	9103103935	CampRoom front – 3,25 m	9103103925
CampRoom sides PW – Medium – Ex 2.75 m	9103104181	CampRoom front – 3,5 m	9103103926
CampRoom sides PW – Large	9103103936	CampRoom front – 3,75 m	9103103927
CampRoom sides PW – X-Large	9103103937	CampRoom front – 4 m	9103103928
		CampRoom front – 4,5 m	9103103929
CampRoom sides PR – Medium	9103103938	CampRoom front – 5 m	9103103930
CampRoom sides PR – Large	9103103939	CampRoom front – 5,5 m	9103103931
CampRoom sides PR – Ducato	9103103940	CampRoom front – 6 m	9103103932



All windows come standard with mosquito screens, roll-up PVC window (outside) and curtains (inside).

The roll-up door is always fitted on the right hand side. Two doors (left and right) are standard for lengths > 4.50 m.

An additional triangle is included with the Ducato version for even better protection.

You can cover the lower side of the vehicle with a standard supplied skirt (keder rail is not included in the set).



The lock of the clamping profile must be turned only a quarter of a turn.

The mast profiles are fitted with rubber seals to prevent scratching and to make the area entirely waterproof. The height can easily be adjusted.

The side panel is secured to the support legs with Velcro straps and then connected with the front panel.

The cross brace adds stability to the tent.

ADDITIONAL PRIVACY AND WEATHER PROTECTION

RAINPROTECT

RainProtect is made from a grey, water- and wind-proof PVC material. The front and the side panels are available in different sizes. The front panel is non-transparent, the side panels (also suitable for use left or right) have a panoramic window. They extend down to the ground to provide optimal protection against moisture.



DOMETIC RAINPROTECT FRONT

Made from long-lasting opaque fabric, this windproof and waterproof PVC panel provides extra protection against the elements.

	Quality features	<ul style="list-style-type: none"> • Designed to fit all Dometic awnings with support legs • Windproof and waterproof construction • For awning extensions of 2.50 m with widths from 2.6 to 6.0 m 		
	For awning width (m)	Extension (m)	Ref. No.	
	2.60	1.40	9103103954	
	3.00	1.40	9103103955	
	3.50	1.40	9103103956	
	3.75	1.40	9103103957	
	4.00	1.40	9103103958	
	4.50	1.40	9103103959	
	5.00	1.40	9103103960	
	5.50	1.40	9103103961	
6.00	1.40	9103103962		

DOMETIC RAINPROTECT DELUXE SIDE

Made from long-lasting opaque fabric, this windproof and waterproof PVC panel provides extra protection against the elements.

	Quality features	<ul style="list-style-type: none"> • Designed to fit all Dometic awnings with support legs • Windproof and waterproof construction • For awning extensions of 2.50 m with widths from 2.6 to 6.0 m 		
	Size	For awning extension (m)	Height (m)	Ref. No.
	SMALL	2.50	2.00 – 2.29	9103103967
	MEDIUM	2.50	2.30 – 2.59	9103103968
	LARGE	2.50	2.60 – 2.89	9103103969
	X-LARGE	2.50	2.90 – 3.20	9103103970

SUNPROTECT

SunProtect is a transparent screen fabric that lets the light through and keeps the heat out. It is available as a front panel or side panel. The front panel has an extension of 1.40 metres and can be supplied for various awning widths. The side panel can be fitted either to the right or left of the awning. There's a matching SunProtect for all Dometic awnings.



DOMETIC SUNPROTECT FRONT

Let the light in but keep the heat out with this breathable and translucent awning attachment. Available in a variety of sizes.

	Quality features	<ul style="list-style-type: none"> • A transparent sun screen to keep you cool and protect you from the sun • Comes in a large range of widths, ranging from 2.60 m to 6 m, to suit most models • Consists of a permeable screen fabric that admits light but blocks heat 		
	For awning width (m)	Extension (m)	Ref. No.	
	2.60	1.40	9103103941	
	3.00	1.40	9103103942	
	3.50	1.40	9103103943	
	3.75	1.40	9103103944	
	4.00	1.40	9103103945	
	4.50	1.40	9103103946	
	5.00	1.40	9103103947	
	5.50	1.40	9103103948	
6.00	1.40	9103103949		


DOMETIC SUNPROTECT SIDE

Let the light in but keep the heat out with this breathable and translucent awning attachment. Available in a variety of sizes.

	Quality features	<ul style="list-style-type: none"> • A transparent sun screen to keep you cool and protect you from the sun • Comes in a large range of widths, ranging from 2.60 m to 6 m, to suit most models • Consists of a permeable screen fabric that admits light but blocks heat 		
	Size	For awning extension (m)	Height (m)	Ref. No.
	SMALL	2.50	2.00 – 2.29	9103103950
	MEDIUM	2.50	2.30 – 2.59	9103103951
	LARGE	2.50	2.60 – 2.89	9103103952
	X-LARGE	2.50	2.90 – 3.20	9103103953


DOMETIC ROLLO +

This easy-to-install roller blind can be fitted to your existing wall awning. Offering additional cover in a stylish, patented design.

	Quality features	<ul style="list-style-type: none"> Patented system makes installation easy Designed to fit Dometic PerfectWall awnings with support legs only Sleek design for subtle integration
	Product	Ref. No.
	2.60	9103103971
	3.00	9103103972
	3.50	9103103973
4.00	9103103974	


DOMETIC LED PROFILE

LED strip with modular aluminum profile, white

	Quality features	<ul style="list-style-type: none"> Easy installation under the awning on the vehicle wall Perfect angle of illumination thanks to aluminium profile Available for all Dometic wall awnings (2.6 – 6 m long)
	Product	Ref. No.
	2.6	9103104264
	3.0	9103104265
	3.5	9103104266
	4.0	9103104267
	4.5	9103104268
	5.0	9103104269
	5.5	9103104270
	6.0	9103104271


DOMETIC PW-SJ

Sealing joint for the Dometic PerfectWall PW 1500 / PW 3800

		3.00 m	3.50 m	4.00 m	30.00 m
	Small, B: 50 cm	9103103979	9103103980	9103103981	9103103982
	Large, B: 75 cm	9103103983	9103103984	9103103985	9103103986
	Description	Sealing joint for the Dometic PerfectWall awnings. Available in a variety of lengths and widths, this rubber sealing ensures the water-tight attachment of your awning to your RV (for the PW 1500 and PW 3800).			


DOMETIC PR-FS

Awning foam strip kit for PR 2000 and PR 2500, 2 x 1.5 m

	Description	The Dometic PR-FS foam strip prevents leakage by closing the space between the vehicle and the roof awning. It is designed for the Dometic PerfectRoof PR 2000 or PR 2500.
	Product	Ref. No.
	Dometic PR-FS	9103104207


DOMETIC AW-TR

Awning tension rafter

	Description	The Dometic AW-TR tension rafter enables you to increase the tautness of your canopy. The bar is supplied as standard for awnings of 4 m and longer. Available as an optional extra in three lengths: 2.5 m and 2.75 m.
	Product	Ref. No.
	Dometic AW-TR 2.5 m	9103103994
	Dometic AW-TR 2.75 m	9103103996


DOMETIC AW-TDKIT

Awning tie down kit

	Description	This tie down kit enables you to firmly anchor PerfectWall and PerfectRoof awnings with support legs into the ground.
	Quality features	<ul style="list-style-type: none"> Adjustable straps and robust clasps, just right for windy days Easy to use, guarantees firm hold Coil springs relieve strain in wind
	Product	Ref. No.
	Dometic AW-TDKIT	9103104000


DOMETIC AW-WS

Wireless wall switch for electrical awnings with remote control

	Quality features	<ul style="list-style-type: none"> Optional accessory for electrical awnings with remote control Functions: extend and retract, stop Extended position can be programmed
	Product	Ref. No.
	Dometic AW-WS	9103104101

DOMETIC AW-RKIT

Awning Repair Kit (PVC)

	Description	This Dometic AW-RKIT repair kit for awnings makes mending tears and holes in acrylic and polyester fabrics easy.
	Quality features	<ul style="list-style-type: none"> Be fully prepared for life on the road with this awning repair kit Patch for easy mending of tears and holes Suitable for acrylic and polyester fabrics
	Product	Ref. No.
	Dometic AW-RKIT	9103104018

2.12