









DOMETIC COOLERS AND ACCESSORIES FOR NATURE LOVERS

Outsmarting carp in a still lake, casting a fly in a wild river, or hunting game fish from a boat. However you hook them, you need to keep cool. Dometic coolboxes are every fisherman's best friend. Highly adaptable, brilliantly insulated, and extremely durable – they make the perfect companion for every trip. Simply put, they're a great upgrade for your next fishing adventure.

We call it Mobile living made easy.

04 - 05

DOMETIC COOL-ICE CI / WCI

Our award-winning iceboxes keep ice frozen for days – and your catch, provisions and baits reliably cool.

06 - 07

DOMETIC CFX3

Our most powerful compressor coolers ever: energy class A++ and freezer temperatures down to $-22~^{\circ}\text{C}!$

08

DOMETIC COMBICOOL ACX 40 G

Cooling wherever you want: 12-volt vehicle or boat battery, 230-volt mains hook-up, or gas cartridge!

09

DOMETIC PLB40

Travel off-grid for longer: This portable power pack supplies your 12-volt devices in remote places.

12 - 14

TECHNICAL DATA

MEET OUR AMBASSADORS

"WHAT A FEELING, KNOWING YOU CAN TAKE YOUR FAVORITE FOOD TO EVEN THE WILDEST SPOTS ON THE PLANET."

Jan Hrdlicka, Dometic Ambassador

Adventurer, explorer and angler, Jan Hrdlicka always packs Dometic coolers as he seeks out the best wild fishing spots in Europe.

READ MORE ON PAGE 10

COOLBOXES / COOL-ICE



Dometic iceboxes feature an extremely effective insulation system. Fitted with ice packs or ice cubes, they can keep groceries, fish, bait and wild game fresh for several days. Almost indestructible and amazingly lightweight, the perfect fishing box for your next fishing trip!

Two series are available – Cool-Ice WCI with adjustable carrier straps and Cool-Ice CI with a modular storage system and many practical accessories.

DOMETIC COOL-ICE FEATURES

Rotation moulded ice boxes, 13 - 110 I

- Strong heavy duty design
- Fridge grade insulation
- Seamless, easy to clean
- Drain plugs (33l up)
- Stainless steel fixings
- Comprehensive range of accessories
- 5 year warranty



COOL ACCESSORIES FOR CI SERIES ONLY

Cool-lce CI boxes are even cooler with the right accessories. Seat cushions, fishing rod holders and bottle openers make them indispensable companions for fishermen, campers and other nature lovers. Note: accessories are optional extras.

See dometic.com and p. 12



COOL-ICE WCI

Cool-Ice WCI series ice-boxes owe their popularity to their handy size and a practical carrier strap. Available in three sizes: 13, 22 and 33 litres.



COOL-ICE CI

Cool-Ice CI series ice boxes come in six different sizes, from 43 to 111 litres. Their spacious interior is well organised by a modular storage system consisting of wire baskets and dividers. Sturdy carrying handles on both sides facilitate transport. Practical accessories add the finishing touch.





TIP FOR USE

If possible, store the Dometic iceboxes in cool surroundings for several hours before use and keep them out of direct sunlight. If being filled with drinks or groceries, we recommend chilling the items beforehand. Standard freezer packs or ice cubes are suitable as coolants. Air will compromise the cooling capacity and shorten the duration of cooling. Therefore avoid opening it unnecessarily and pack the boxes as full as possible.





HEAVY DUTY QUALITY

Fit for the rigors of mobile life - can even be used as a seat or to stand on



FULLY INTEGRATED HINGES

With stainless steel rods for more stability and smooth contours





ROBUST TETHERING POINTS

Integrated in the handle anchors (WCI 33 or higher).




LABYRINTH SEAL

The labyrinth seal prevents any heat from making its way into the interior.



STABLE HANDLES

Making it easy to transport by one or two people. (WCI 33 or higher)



Take control of outdoor adventures like never before with the Dometic CFX3. Enjoy reliably fresh food and cold drinks thanks to Dometic's market leading VMSO3 variable-speed compressor cooling technology. Its optimized software ensures superior cooling, freezing and energy efficiency. The CFX3 features durable and

lightweight fender frames to protect the cooler, making it ideal for use in harsh outdoor environments. Strong, spring-loaded aluminum handles make it easy to lift and carry. Adjust the cooling temperature of your CFX3 on the TFT display screen or download the Dometic app and roam free without worry.



KEY BENEFITS

- Heavy-duty yet lightweight construction, fender frame protected edges and stainless steel hinges
- CFX smartphone app allows temperature control via WiFi or Bluetooth and provides performance history
- Powerful VMSO3 compressor cooling technology efficiently refrigerates and deep-freezes to $-22\,^{\circ}\text{C}$
- 3-stage dynamic battery protection system prevents a dead car battery or allows a deep draw on dual batteries
- Generous storage capacity of $32-88\,I$
- Built-in TFT user interface displays operating status
- Excellent insulation retains cool air
- IP44 rated, colour display IP64 rated















USER-FRIENDLY INTERFACE

The stylish TFT LCD user interface displays operating status



RUGGED CONSTRUCTION

Fender frames protect the unit from damage



OPTIMIZED VMSO3 CONTROLLED COMPRESSOR

Efficient variable-speed cooling



FLEXIBLE POWER OPTIONS

Powered by 100 – 240 V AC, 12/24 V DC or battery power, solar compatible



NEW CFX3 APP

Temperature control via CFX3 App



EASY TO CARRY

Space-saving folding and detachable carrying handles





STAY LONGER

The award winning Dometic PLB40 can give you the power to stay longer. See page 9

THE FREEDOM TO ROAM

High performance wherever you need it! The Combicool ACX 40G coolbox can cool contents to as low as 30 °C below the ambient temperature. The ACX 40G offers outstanding technological features, you can even make ice cubes in the included ice cube tray. This absorption cooler can work on 12 volt supply in the vehicle,

on 230 volt mains supply at home or 220 g gas cartridge in remote locations. There's an integrated cradle for the gas canister - which will power the box for up to 24 hours. All this, complete with a stylish silver sheet steel exterior, makes the ACX a great buy.

DOMETIC COMBICOOL ACX 40 G

Portable absorption cooler, 40 I (powered by 220 g gas cartridge)

- Powered by gas cartridge, 12 V DC and 230 V AC guaranteed energy supply, maximizes freedom!
- Absolutely silent operation means no disturbance
- Sturdy housing and attractive design
- Ice cube tray included
- Cooling up to 30 °C below ambient temperature
- Elegant aluminum housing
- Three-stage flame regulation in gas mode











CAN BE OPERATED WITH GAS CARTRIDGES – UNIQUE IN THE MARKET



Vertical space for 1.5 and 2 litre bottles standing



Sturdy housing and attractive design



3-stage flame regulation in gas mode, piezo ignition, thermostat regulation in 230-volt mode



Each 220 g gas cartridge last up to 24 hours

THE POWER TO STAY LONGER

This market-leading battery system is the utilizing cutting-edge technology which is a result of years of research and development. The Dometic PLB40 has powerful, integrated Lithium Iron Phosphate (LiFePO4) battery cells, providing an energy supply of 512 Wh. Ideal for running powered coolers and other 12 V appliances while on adventures, the PLB40 provides up to 53 hours of cooling time for a Dometic CFX3 45 on a single charge (When fridge temperature is +4 °C and ambient temperature +25 °C). The integrated DC-DC

charger offers three convenient ways to charge via: the vehicle 12 V socket, solar panel or AC power. The battery's integrated battery management system protects the PLB40 from under-voltage, over-voltage, short circuiting and overheating for optimum charge time, performance and storage. With this power management system, the Dometic PLB40 has a cycle of life which is up to five times longer than more commonly used lead-acid batteries.



DOMETIC PLB40

Portable lithium battery, 40 Ah

- Enables you to travel off-grid for longer
- Three-way charging via 12 V socket, solar panel or AC house power
- Extremely lightweight, ergonomically designed stainless steel carry handle
- Built-in LCD screen displays: capacity, charging status and output
- Specifically designed for Dometic CFX3 and other powered coolers
- Powerful battery cells provide 512 Wh of energy, 40 Ah
- Can power a Dometic CFX3 45 cooler for up to 53 hours on a single charge (When fridge temperature is +4 °C and ambient temperature +25 °C)





reddot design award

STAY LONGER, CATCH MORE

When paired with the CFX3 45, the PLB40 can supply 53 hours of power (When fridge temperature is +4 $^{\circ}$ C and ambient temperature +25 $^{\circ}$ C) ensuring you never miss feeding time.



High capacity – Lithium iron phosphate (LiFePo4) battery provides 40 Ah or 512 Wh of power in a small package



Versatile charging – Charge with a vehicle's 12 V DC cigarette outlet, solar panel, or included wall charger



Multiple power outputs – Power
12 V accessories, Dometic powered coolers, or
small electronics






Jan is hooked on the great outdoors. He discovered his love for nature and spirit of adventure eight years ago by spending his weekends hiking through the Alps in the south of Germany. When he relocated to Hamburg, he needed to find new ways to quench his thirst for fresh air and new experiences. That's why, four years ago, Jan

began to fish in the harbour of Hamburg. His humble hobby quickly grew into a passion and soon he was travelling all over the world to find new spots to cast his lines. He discovered that he was quite good at his new sport and Jan began searching for a cooler that could hold all the fresh fish he was catching and keep up with his travel needs.

In his research he discovered the reliable and versatile products of Dometic. The Dometic Cool-lce 42 became his top choice for every fishing trip. Rugged but lightweight, it can take a beating and keep cool for several days without Jan needing to refill the ice. The seat pad and rod holder make it the perfect companion for every fishing outing.







SASHIMI-QUALITY CAMPING

"I love food, and a poké bowl with wild trout is the perfect outdoor meal. Fresh fish, herbs, fruit, vegetables, and rice in just 15 minutes."

Get Jan's full recipe at dometic.com/fishing





Jan's favorite feature of the Dometic Coollce 42, besides its ability to sustain low temperatures, is the impressive size and how easy it is to clean and maintain for multiple uses. Ultra-hygienic, it can hold fresh fish, meat, or food without retaining any odour. Jan also has the Dometic Cool-lce Cl 110 for long camping trips and family parties as it has space to cool all the food and supplies needed for ten people. Keeping things cool and fresh on the road means that he can take his favorite foods with him to even the wildest spots on the planet and still have a healthy, home cooked meal.

Whatever the outdoor activity, whether it be fishing, camping, or just road tripping, there is a dependable Dometic cooler to help keep your fish fresh, your food cool, and your supplies unspoiled so you can focus on reeling in the biggest catch, like Jan.

MEET OUR AMBASSADOR Jan Hrdlicka always packs Dometic coolers as he seeks out the best wild fishing spots in Europe.

Read more under: dometic.com > our brand > Dometic ambassador



 $in stagram.com/the_fishing_huntsman$

TECHNICAL DATA	WCI13	WCI 22	WCI 33
Ref. No.	960000500	9600000501 / 9600019218 (green)	960000502
Storage volume (I, approx.)	13	22	33
Dimensions (W x H x D, mm)	388 x 305 x 245	388 x 313 x 365	400 x 440 x 360
Weight (kg, approx.)	2.8	4.2	5.7
Material		Rotomoulded PE	

4.36 / Dometic Cool-Ice CI

TECHNICAL E	ATA		No de la constante de la const	A A O	1 2 0	A A		
ICEBOXES		CI 42	CI 55	CI 70	CI 85	CI 85W	CI 110	
Ref. No.		9600000541 9600019219 (green)	9600000542	9600000543	9600000544	9600000545	9600000546	
Storage volu	ne (I, approx.)	43	56	71	87	86	111	
Dimensions (W x H x D, mm)	640 x 335 x 418	570 x 432 x 515	690 x 432 x 515	840 x 432 x 525	840 x 432 x 525	1055 x 442 x 535	
Weight (kg, a	oprox.)	8.7	10.6	11.8	14	14.6	18.1	
Material			Rotomoulded PE					
/ Optional ex	tras							
	Seat Cushion	9108400892	9108400893	9108400894	9108400895	9108400895	9108400896	
	Divider	9108400897	9108400898	9108400898	9108400898	9108400898	9108400898	
	Basket Small	9108400899	9108400900	9108400900	9108400900	9108400900	9108400900	
	Beverage Holder & Bracket	9108400901	9108400901	9108400901	9108400901	9108400901	9108400901	
	Beverage Holder	9108400902	9108400902	9108400902	9108400902	9108400902	9108400902	
	Rod Holder	9108400903	9108400903	9108400903	9108400903	9108400903	9108400903	
	Bottle Opener	9108400904	9108400904	9108400904	9108400904	9108400904	9108400904	
100	Fixing Kit	9108400905	9108400905	9108400905	9108400905	9108400905	9108400905	

TECHNICAL DATA	Some On II	3- D	Tong Co		
COMPRESSOR COOLERS	NEW CFX3 35	NEW CFX3 45	NEW CFX3 55	NEW CFX3 55IM	
Ref. No.	9600025324	9600025326	9600025328	9600025330	
Ref. No. UK	9600025325	9600025327	9600025329	9600025331	
Storage volume (I, approx.) incl. for fresh food (I)	32	40	48	46	
Dimensions (W x H x D, mm)	398 x 407 x 694	398 x 476 x 694	720 x 480 x 455	720 x 480 x 455	
Connections	12/24 V DC / 100-240 V AC				
Temperature range (°C)	+10 to -22				
Refrigerant Refrigerant quantity CO ₂ equivalent Global warming potential (GWP)	R 134a 38 g 0.054 t 1430	R 134a 42 g 0.060 t 1430	R 134a 45 g 0.064 t 1430	R 134a 45 g 0.064 t 1430	
Power input (watts, approx.)	50	52	50	52	
Current consumption (Ah/h) at 12 V at +20 °C at +32 °C ambient temperature, both at +4 °C interior temperature	0.47 0.98	0.49 1.03	0.56 1.10	0.59 1.11	
Energy class	A++	A++	A++	A++	
Insulation	PU foam all around				
Material	Cabinet: PP + ABS Lid: PE				
Colour	Pale grey / dark grey				
Weight (kg, approx.)	16.9	18.7	20.4	21.3	
Type of protection	Box: IP44 / Display: IP64				
Test marks	TÜV/GS, e-certified (Automotive EMC Directive)				
/ Optional extras					
Fastening straps	9108400905	9108400905	9108400905	9108400905	
Cool box stand	960000689	9600000689	960000689	960000689	
Battery pack BP 124	9600005902	9600005902	9600005902	9600005902	

3.48 / Dometic PLB40

TECHNICAL DATA	3.407 Bollietic 1 2540
LITHIUM ION BATTERY	PLB40
Ref. No.	9600012878
Battery capacity (Ah)	40 / 512 Wh
Chemistry	LiFePO4
Battery voltage (V, DC)	12.8
DC output amps	15
Continuous output (W)	150 (per 12 V connection)
Dimensions (W x H x D,mm)	197 x 257 x 197
Weight (kg)	7.54

TECHNICAL DATA	*BOMPE OX	Photograph of the state of the	Store Of 1	
COMPRESSOR COOLERS	NEW CFX3 75DZ	NEW CFX3 95DZ	NEW CFX3 100	ACX 40 G
Ref. No.	9600025332*	9600025334*	960000536*	9105204291
Ref. No. UK	9600025333	9600025335	9600025337	9105204289
Storage volume (I, approx.)	65 (39 / 26)	82 (48 / 34)	88	40
Dimensions (W x H x D, mm)	892 x 472 x 495	962 x 472 x 530	962 x 472 x 530	500 x 444 x 508
Connections	12/24 V D 100-240 V AC			12 V DC / 230 V AC Gas cartridge
Temperature range (°C)	+10 to -22			Max. 30 °C cooling below ambient temperature
Refrigerant Refrigerant quantity CO ₂ equivalent Global warming potential (GWP)	R134a 57 g 0.082 t 1430	R134a 67 g 0.096 t 1430	R134a 64 g 0.092 t 1430	-
Power input (watts, approx.)	70	65	65	-
Consumption at 12 volts DC (watts) at 230 volts AC (watts) Gas (g/h)	-	-	-	85 85 9.8
Current consumption (Ah/h) at 12 V at +20 °C at +32 °C ambient temperature, both at +4 °C interior temperature	0.68 1.59	0.80 1.81	0.91 1.56	-
Energy class	A+	A+	A+	-
Insulation	PU foam all around			
System	Fully hermetic compressor with integrated control electronics, low-voltage protection / electronic fuse, automatic reverse pole protection, electronic thermostat			Absorption cooling
Material	Cabinet: PP + ABS Lid: PE			Aluminium
Colour	Pale grey / dark grey			Aluminium finish / black
Weight (kg, approx.)	31	32	32	16
Type of protection	Box: IP44 / Display: IP64			-
Test marks	TÜV/GS, e-certified (Automotive EMC Directive)			Certified to European Gas Applian- ce Directive 90/396/EEC
/ Optional extras				
Fastening straps	9108400905	9108400905	9108400905	-
Cool box stand	960000689	9600000689	9600000689	960000689
Battery pack BP 124	9600005902	9600005902	9600005902	-





AUSTRALIA

DOMETIC AUSTRALIA PTY. LTD.

1 John Duncan Court
Varsity Lakes QLD 4227
Tel +61 7 55076000
Fax +61 7 55076001
Mail sales@dometic-waeco.com.au

AUSTRIA

DOMETIC AUSTRIA GMBH

Neudorferstrasse 108

A-2353 Guntramsdorf
Tel +43 2236 908070
Fax +43 2236 90807060
Mail info@dometic.at

BELGIUM

DOMETIC BRANCH OFFICE BELGIUM

Lourdesstraat 84 B
B-8940 Geluwe
Tel +32 2 3598040
Fax +32 2 3598050
Mail info@dometic.be

DENMARK

DOMETIC DENMARK A/S

Nordensvej 15, Taulov DK-7000 Fredericia Tel +45 75585966 Fax +45 75586307 Mail info@dometic.dk

FINLAND DOMETIC FINLAND OY

Valimotie 15
FIN-00380 Helsinki
Tel +358 20 7413220
Mail info@dometic.fi

FRANCE

DOMETIC SAS

B.P. 5 F-60128 Plailly Tel +33 3 44633500

ZA du Pré de la Dame Jeanne

Fax +33 3 44633518 Mail info@dometic.fr

GERMANY

DOMETIC GERMANY GMBH Hollefeldstraße 63

D-48282 Emsdetten
Tel +49 (0) 2572 879-0
Fax +49 (0) 2572 879-300
Mail info@dometic-waeco.de

HONG KONG

DOMETIC ASIA CO., LIMITED

Suites 2207-2210, 22/F Tower 1
The Gateway, 25 Canton Road
Tsim Sha Tsui, Kowloon
Tel +852 2456 5199
Fax +852 2466 5553
Mail info.ap@dometic.com

HUNGARY

DOMETIC ZRT. SALES OFFICE

H-1147 Budapest Kerékgyártó u. 5. Tel +36 1 468 4400 Fax +36 1 468 4401 Mail budapest@dometic.hu

ITALY

DOMETIC ITALY S.R.L.

Via Virgilio, 3 I-47122 Forli (FC) Tel +39 0543 754901 Fax +39 0543 754983 Mail vendite@dometic.it

JAPAN DOMETIC KK

Maekawa-Shibaura, Bldg. 2 2-13-9 Shibaura Minato-ku Tokyo 108-0023 Tel. +81 3 5445 3333

Tel +81 3 5445 3333 Fax +81 3 5445 3339 Mail info@dometic.jp

MEXICO

DOMETIC MX, S. DE R. L. DE C. V.

Circuito Médicos No. 6 Local 1 Colonia Ciudad Satélite CP 53100 Naucalpan de Juárez Estado de México

Tel +52 55 5374 4108 Fax +52 55 5393 4683 Mail info@dometic.com.mx

NETHERLANDS DOMETIC BENELUX B.V.

Ecustraat 3

NL-4879 NP Etten-Leur Tel +31 76 5029000 Fax +31 76 5029019 Mail info@dometic.nl

NEW ZEALAND DOMETIC NEW ZEALAND LTD.

PO Box 12011 Penrose Auckland 1642 Tel +64 9 622 1490 Fax +64 9 622 1573

Mail customerservices@dometic.co.nz

NORWAY

Elveveien 30B

DOMETIC NORWAY AS

N - 3262 Larvik Tel +47 33 428 450 Fax +47 33 428 459 Mail info@dometic.no

POLAND

DOMETIC POLAND SP. Z O.O

ul. Puławska 435A PL-02-801 Warszawa Tel +48 22 414 32 00 Mail info@dometic.pl

PORTUGAL DOMETIC SPAIN, S.L.

Branch Office em Portugal Rot. de São Gonçalo nº 1– Esc. 12

2775-399 Carcavelos
Tel +351 219 244 173
Fax +351 219 243 206
Mail info@dometic.pt

RUSSIA

DOMETIC RUS LLC

Komsomolskaya square 6 – 1 RU-107140 Moscow Tel +7 495 780 79 39 Fax +7 495 916 56 53 Mail info@dometic.ru

SINGAPORE

DOMETIC PTE LTD18 Boon Lay Way

06-141 Trade Hub 21 Singapore 609966 Tel +65 6795 3177 Fax +65 6862 6620 Mail dometic.sg@dometic.com

SLOVAKIA

DOMETIC SLOVAKIA S.R.O.Sales Office Bratislava

Nádražná 34/A 900 28 Ivanka pri Dunaji Tel +421 2 45 529 680 Fax +421 2 45 529 680 Mail bratislava@dometic.com

SOUTH AFRICA DOMETIC (PTY) LTD.

Regional Office South Africa & Sub-Saharan Africa 2 Avalon Road, West Lake View Ext 11, Modderfontein 1645 Tel +27 87 3530380 Mail info@dometic.co.za

SPAIN

DOMETIC SPAIN, S.L.

Avda. Sierra del Guadarrama, 16 E-28691 Villanueva de la Cañada Madrid

Tel +34 91 833 6089 Fax +34 900 100 245 Mail info@dometic.es

SWEDEN

DOMETIC SCANDINAVIA AB

Gustaf Melins gata 7 SE-421 31 Västra Frölunda Tel +46 31 7341100 Fax +46 31 7341101 Mail info@dometicgroup.se

SWITZERLAND

DOMETIC SWITZERLAND AG

Riedackerstrasse 7a CH-8153 Rümlang Tel +41 44 8187171 Fax +41 44 8187191 Mail info@dometic.ch

UNITED ARAB EMIRATES DOMETIC MIDDLE EAST FZCO

P.O. Box 17860 S-D 6, Jebel Ali Freezone Dubai Tel +971 4 883 3858

Fax +971 4 883 3868 Mail info@dometic.ae

UNITED KINGDOM DOMETIC UK LTD.

Dometic House, The Brewery, Blandford St. Mary Dorset DT11 9LS Tel +44 344 626 0133 Fax +44 344 626 0143 Mail sales@dometic.co.uk

USA

DOMETIC RV DIVISION

1120 North Main Street Elkhart, IN 46515 Tel +1 574-264-2131